



MINIBAR & MINICOOL
PRODUCT RANGE FOR 2014



Comfort Class

Noiseless, longest lifetime and powerful cooling – Comfort Class miniBars meet the highest requirements.



Efficient Class

Compact Efficient Class miniBars – for the lowest energy consumption and silent operation.



Special Class

Special solutions for individual requirements – miniBars and miniCool refrigerators for hotels, offices, nursing and health care sectors.

At your service	4
About Dometic	6
Perfect guest service	8
Product finder	9

Dometic Comfort Class 10

HiPro Line	12
Classic Line	16
Basic Line	18
Food Line	20

Dometic Efficient Class 22

E Line	24
--------	----

Dometic Special Class 26

Mobile miniBars	28
Drawer miniBars	30
Health care refrigerators	32
miniCool with freezer	34
Ventilation guidelines	35
Product overview	36



At your Service.

Individual, discreet and available at all times, service has many faces, but only one goal: to provide very special all-round comfort. With Dometic's exceptional miniBars, good service becomes even better. They make room for extra comfort and enhance the individual character of the interior.

A miniBar from Dometic never rests. Available 24 hours a day, it provides an additional service that always pays off. It also runs noiseless, without moving parts and vibration, and is very economical in terms of energy consumption.

That brings an efficiency benefit as well as additional comfort. Wherever it is used – a miniBar from Dometic is bound to boost sales and customer satisfaction. It caters for the needs of guests without disturbing their privacy, and provides a service that is discreet in the background but still readily available.



Discover Dometic

The world's number one for miniBars

- More than 45 years of experience in the hotel industry
- More than 5 million miniBars installed around the world
- 10 million absorption refrigerators produced, "Made in Germany"
- All products are manufactured in Dometic owned production plants
- All Dometic production plants are certified according to ISO 9001 and ISO 14001
- Global customer support in more than 100 countries
- Comprehensive product range: miniBars for all room designs, all requirements and all budgets.
- Research & development, design, production, quality control, after-sales service – everything from a single source



Dometic – The Satisfaction Network

Success from over 90 years of experience

Noiseless absorption cooling technology has been the foundation of our position as the world's leading provider of miniBars. The company's success is based on a unique combination of know-how, state-of-the-art technology, a pioneering spirit and innovative design. Decades of experience and continuous customer feedback has enabled Dometic to perfect the absorption miniBar. Today, more than 90 years after absorption cooling was invented, Dometic miniBars are still setting the trend when it comes to quality, technology and design. More

than 5 million appliances have already been sold – an unrivalled record of success. The "Satisfaction Network" now spans almost 100 countries and provides personal support to customers and planners on all continents. The German factory in Siegen is home to the world's largest and most modern production site for absorption refrigerators. Every day Dometic equips two hotels with miniBars somewhere in the world.





Our responsibility

Sustainable and environmentally-conscious

At Dometic, thinking and acting ecologically is an all-embracing process that extends to all levels. In addition to the environmentally sustainable production, this also includes special recycling measures and resource saving products, and in particular the design of energy-efficient miniBars. For instance, the Dometic HiPro 3000 is the most economical absorption miniBar in the world. You can be 100% sure that all the applicable regulations, directives and guidelines are fulfilled at Dometic.

- All Dometic production plants are certified according to ISO 9001 and ISO 14001 as well as the Eco-Management and Audit Scheme
- EMAS-certified company with publication of all environmental results in Dometic Environmental Product Declarations
- All products fulfil the requirements of the European Union's ROHS directive
- All energy consumption labels correspond to the requirements of the EC regulation 1060/2010



You can find more information on this at
www.dometicgroup.com/sustainability

Dometic miniBars

Perfect guest service – 24/7

Why should hotels have miniBars?

Just like the lift or the swimming pool, a miniBar is part of good customer service. Therefore, the miniBar is a piece in the mosaic of all the services offered by the hotel. In other words, if the hotel owner does not provide a miniBar in the hotel room, the hotel service suffers. The best way to use the minibar in the total comfort package to Hotel guest can vary from one Hotel to another. Being fully stocked for profit optimisation, or with selected products included in the room rate, a flat fee approach for most sold items or an empty minibar for people travelling and expecting a minibar to store and chill their personal items like medicine, insulin or food. The convincing concept will very much depend on the guest structure of the Hotel.

What do I need to consider when purchasing miniBars?

The miniBar has to be silent so that guests can sleep peacefully in the room. But energy consumption, lifetime and support are also important selection criteria. There are various cooling technologies to choose from, but absorption is the best choice for hotel rooms. The HiPro 3000 miniBar by Dometic is the world's most economical absorption miniBar on the market. When buying a miniBar, make sure that the energy consumption of the appliance corresponds to the EU directives 643/2009 and 1060/2010. With Dometic you can be 100% sure that all the applicable requirements are fulfilled.

How does the miniBar become an instant profit centre?

Pricing: if the prices are too high, then the guest will not use the miniBar! The prices in the miniBar should in general not be more expensive than those in the hotel bar.

Product offering: the miniBar selection has to match the type of guests at the hotel and should be clear and not too wide. Some advice: Check what sells well and eliminate “dead ducks”.

Positioning the miniBar: the miniBar should not be “hidden away” in the room. The guest should be tempted to consume something from the miniBar just by looking at it. To trigger an impulse buy, a nicely stocked glass door miniBar close to the TV will do its job.

What do hotel managers need to do to ensure that miniBars meet their expectations?

Pay attention to the right marketing. Leaflets, the website or personal conversations at check-in are the “touch points” to use for promoting the miniBar. Another sales booster could be to offer the guest a sweet or savoury snack from the miniBar free of charge.

Furthermore, a uniform, reasonable pricing model helps – for example, all drinks at the same low price. That is affordable and the guest sees this as fair. Many hotels are now starting to use “all-inclusive” offers, i.e. all drinks and snacks are free for the guest and have already been added to the price of the room.

Product finder

The fast way to the right product

What is important for you?	life time	Silence	Energy efficiency	Cooling performance	Suitable for food storage	Page number
Comfort Class						
HiPro Line	●●●●●	●●●●●	●●●●○	●●●●○	○	12
Classic Line	●●●●●	●●●●●	●●●○○	●●●●○	○	14
Basic Line	●●●●○	●●●●●	●●●○○	●●●●○	○	18
Food Line	●●●●●	●●●●●	●●●○○	●●●●●	●	20
Efficient Class						
E Line	●●●○○	●●●●○	●●●●●	●●●○○	○	24
Special Class						
Mobile miniBars	●●●●●	●●●●●	●●●○○	●●●●○	○	28
Drawer miniBars	●●●○○	●●○○○	●●●●○	●●●○○	○	30
Health care refrigerators	●●●●●	●●●●○	●●●○○	●●●●●	○	32
miniCool with freezers	●●●●●	●●●●●	●●○○○	●●●●●	○	34

Lifetime

Using moving parts in the cooling system determines the service life time substantially. Absorption miniBars from Dometic do not use any moving parts at all and are therefore ideal for long use.

Silence

The guest's comfort while sleeping can be disturbed by many things – including a noisy miniBar. Dometic cooling technology is completely noiseless (0 dbA) or as quiet as a whisper for TE cooling technology products.

Energy efficiency

miniBars are operating 24h/7/365 and mostly in more than just one room. That is why energy efficiency plays a major role. Alongside the extremely economical miniBars in the Efficient Class, the HiPro Line miniBars have proven to be the lowest energy consumers amongst absorption miniBars.

Cooling performance

A miniBar should always operate at a stable and desired performance level while working as efficiently and economically as possible. The cooling performance depends on the place of installation, the ventilation as well as on the cooling technology itself.

Suitable for food storage

While miniBars are primarily intended for cooling drinks and snacks, the models from the Food Line also offer the option of storing unpackaged fresh food. The silent appliances in the Food Line ensure an interior temperature of 4 °C for ambient temperatures of up to 32 °C.



HiPro Line

Classic Line

Basic Line

Food Line


The Comfort Class by Dometic

Quality without compromise

Comfort at the highest level – versatile, comprehensive, reliable. With Comfort Class, noiseless cooling comfort becomes reality. Thanks to innovative absorption technology, Dometic miniBars work completely noiseless and maintenance-free. Four distinguished product lines to suit every Hotel and budget category. Elegant in design and layout, these models make room for drinks and snacks, as well as food, to be efficiently cooled to exactly the right temperature. Comfort Class miniBars are the best choice

in the long-run, taking into account their lowest operating cost. They offer great savings potential for you and protect the environment due to a lifetime which is nearly twice as long as other appliances not using the absorption cooling technology.

NOISELESS // LONGEST LIFETIME // TOP COOLING PERFORMANCE



- Fuzzy Logic, the intelligent chip controller for optimised temperature management and the lowest power consumption. You lower your energy costs by 50% and more!
- Cooling Unit Control (CUC system) offers maximum security with sensor-controlled monitoring of the cooling unit.
- Fully-automatic defrosting for maximum comfort

HiPro Line

The lowest energy consuming absorption miniBar in the world



Every HiPro miniBar contains the best of 90 years of experience. The HiPro 3000 is the lowest energy consuming absorption miniBar in the world!



Dometic HiPro has redefined the standards for pioneering miniBar design – the result of over nine decades of consistent development. With the aim of maximum customer satisfaction, we have scrutinised all the requirements of comfort and technology in detail. The result will impress you.

HiPro miniBars are distinctive due to their progressive design and a whole host of innovative technical detail solutions that are so unique that we have grouped them together under the name HiPro technology.

HiPro technology stands for a quality dimension which only Dometic can offer you.

- Modular system of shelves and door racks
- Lowest energy consumption for noiseless absorption miniBars
- Setup diagnosis via LED
- Sensor-controlled LED interior light
- LED door opening control display (optional)
- Temperature setting by remote control
- Clip & Click: door hinge can be changed without tools
- Fuzzy Logic Technology
- Automatic Defrost

HiPro Line

Product comparison



Model	HiPro 3000	HiPro 4000	HiPro Vision	HiPro 6000
Model class (litre)	30	40	40	60
Storage volume (litre)	26	34	34	48
Cabinet colour	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions Built-in version (H x W x D, in mm)	527 x 388 x 418	559 x 405 x 452	559 x 405 x 465	568 x 490 x 475
Can be built-in/integrated	■	■	■	■
Variable sliding hinge	■	■	–	■
Variable door hinge	■	■	■	■
LED interior light	■	■	■	■
Input rating (W)	65	65	65	80
Energy consumption (kWh/24 h)	0.57	0.65	0.74	0.70
Noise level (db[A])	0	0	0	0
Model versions	Basic, Standard	Basic, Standard	**	Basic, Standard
Options	<ul style="list-style-type: none"> ■ Lock ■ Decorative panel ■ LED door opening control display ■ Infra-red remote control 	<ul style="list-style-type: none"> ■ Lock ■ Decorative panel ■ LED door opening control display ■ Infra-red remote control ■ Also available as stand-alone model* 	<ul style="list-style-type: none"> ■ Lock ■ LED door opening control display ■ Infra-red remote control ■ Also available as stand-alone model* 	<ul style="list-style-type: none"> ■ Lock ■ Decorative panel ■ LED door opening control display ■ Infra-red remote control

*Available with rear wall cover and 42 mm feet (+20 mm depth).

** With two long shelves

Models



Basic

- 2 long shelves
- Flat inner door
- Integrated door handle



Standard

- 2 short shelves
- Inner door with 2 multifunctional racks (one for large bottles and one for small)
- Inner door in the "bottle body" design for 1.5-litre bottles
- Integrated door handle

Classic Line

Easy replacement or additional comfort



Just replace or upgrade with silent cooling comfort. Proven standard dimensions ensure quick and easy installation without furniture modification.



Energy-saving made easy. With the Classic Line models, contemporary cooling comfort has now arrived. Equipped with innovative and energy-efficient absorption cooling technology, the miniBars ensure silent service and maintenance-free comfort with added value. This is also due to sensor-controlled monitoring of the cooling unit, energy-efficient Fuzzy Logic temperature regulation, automatic defrost and proven Dometic design.

TIP

Are your miniBars more than 15 years old?

If yes, it's worth replacing your appliance immediately. You can save on energy by more than 50% with today's miniBars featuring Fuzzy Logic technology. Just by saving on energy, your new investment will pay for itself within a few years, because old miniBars sometimes consume more than double the energy. Get in touch with us! We will be glad to advise you.

Classic Line

Product comparison



Model	RH 423 LDA	RH 439 LD / RH 449 LD	RH 548 LD	RH 569 LD
Model class (litre)	23	30/40	40	60
Storage volume (litre)	23	25/32	37	58
Cabinet colours	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions (BI version) Built-in version (H x W x D, in mm)	435 x 422 x 384	522 x 380 x 434 (RH 439 LD) 552 x 422 x 439 (RH 449 LD)	554 x 401 x 446	560 x 486 x 484
Can be built-in/integrated	■	■	■	■
Sliding hinge	■	■	■	■
Variable door hinge	■	■	■	■
LED interior light	■	■	■	■
Input rating (W)	65	65	65	75
Energy consumption (kWh/24 h)	0.70	0.65 / 0.70	0.75	0.85
Noise level (db[A])	0	0	0	0
Options	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel ■ Door handle ■ Also available as stand-alone model (FS version) 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel ■ Door handle ■ Also available as stand-alone model (FS version) 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Decorative panel

Models

RH 423 LDA

- 1 door rack for smaller bottles
- 1 adjustable metal shelf with recess for tall bottles

RH 439 LD / 449 LD

- 2 adjustable door racks for bottles (small and large)
- Both door racks with adjustable spacers
- 2 adjustable metal shelves

RH 548 LD

- 2 adjustable door racks for bottles (small and large)
- 1 adjustable shelf

RH 569 LD

- 2 adjustable door racks for bottles (small and large)
- 2 adjustable metal shelves
- Bottle fingers

Classic Line

Glass door models – blend into the room perfectly



The world's only absorption miniBars with glass door, which meet the eco-design requirements of the European Community (EC directive 1060/2010).



Glass door miniBars will support guest consumption. Available in 3 model classes – for 20, 30 and 40 litres – these glass door models offer plenty of room for an appealing product presentation with potential for profit. All models feature Fuzzy Logic Technology, CUC System and automatic defrost

TIP

Do you want to make the miniBar business even more profitable?

Then do not hide the miniBar away in the room. Well placed miniBars with glass doors will enhance the room's interior considerably. The enticing product presentation behind glass encourages impulse purchases.



NEW

Also available as an option with a mirror glass door design

Are you looking for more miniBars with glass doors? Go to page 13 for HiPro Vision.

Classic Line

Product comparison



Model	RH 429 LDAG	RH 439 LDAG	RH 449 LDAG
Model class (litre)	20	30	40
Storage volume (litre)	18	26	33
Cabinet colours	Anthracite	Anthracite	Anthracite
Dimensions* Built-in version (H x W x D, in mm)	435 x 422 x 384	522 x 380 x 434	552 x 422 x 439
Can be built-in/integrated	■	■	■
Variable door hinge	■	■	■
LED interior light	■	■	■
Input rating (W)	75	75	75
Energy consumption (kWh/24 h)	0.80	0.83	0.84
Noise level (db[A])	0	0	0
Options	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Also available as stand-alone model (FS version)* ■ New from 2014: also available with mirror door 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Also available as stand-alone model (FS version)* ■ New from 2014: also available with mirror door 	<ul style="list-style-type: none"> ■ LED door opening control display ■ Temperature setting by remote control ■ Also available as stand-alone model (FS version)* ■ New from 2014: also available with mirror door

* With cooling unit cover and 28 mm feet.

Models

RH 429 LDAG

- 1 adjustable metal shelf with recess for tall bottles
- Glass door with aluminium frame

RH 439 LDAG

- 2 adjustable metal shelves
- Glass door with aluminium frame

RH 449 LDAG

- 2 adjustable metal shelves
- Glass door with aluminium frame

Basic Line

The value-for-money class



The miniBars in the Basic Line offer a price attractive entry into the world of silent cooling comfort.



Dometic quality at a great price. With the 30 and 40-litre-class miniBars of the Basic Line, you can get to know the value-for-money side of silent cooling comfort. Technically advanced and absolutely reliable, the models represent an efficient view of modern absorption technology – made in Europe. This means you can blend the comfort of today with advanced Fuzzy Logic technology without exceeding your budget.

TIP

Selling miniBar products is not generating profit for you?

Nevertheless, a cooling option in the room can still offer an extra service benefit. Provide your guests with an empty miniBar. They can cool their own drinks, medicine, cosmetics, baby food and many other things – an extra service from you to your guests!

Basic Line

Product comparison



Model	RH 131 DBI	RH 141 DBI
Model class (litre)	30	40
Storage volume (litre)	28	38
Cabinet colours	Black	Black
Dimensions Built-in version (H x W x D, in mm)	524 x 380 x 445	554 x 422 x 451
Can be built-in/integrated	■	■
Sliding hinge	■	■
Variable door hinge	■	■
Input rating (W)	65	65
Energy consumption (kWh/24 h)	0.73	0.75
Noise level (db[A])	0	0
Options	<ul style="list-style-type: none"> ■ Interior light (RH 131 LDFS/LDBI) ■ Lock ■ Also available as a stand-alone version (FS version) 	<ul style="list-style-type: none"> ■ Interior light (RH 141 LDFS/LDBI) ■ Lock ■ Also available as a stand-alone version (FS version)

Models

RH 131

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves

RH 141

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves
- Bottle fingers

Food Line

Suitable for food and more



Unique worldwide.
No other noiseless refrigerator reaches an interior temperature of 4 °C at up to an ambient temperature of 32 °C.



Chilled drinks and food right at your fingertips all the time. When there is no room for an ordinary refrigerator, a miniCool in the Food Line series is a great advantage. Whether it's for everyday use in hospitals and nursing homes with the shortest possible distances for patients and residents or for a bit of privacy in student accommodation. The Food Line provides silent cooling comfort without compromising. As the only cooling appliance in this class, the models are suitable for fresh food.

Ideal for:

- Hospitals
- Nursing homes
- Offices/meeting rooms
- Student homes / apartments
- At home as an additional refrigerator in the bedroom, living room or children's room



Food Line

Product comparison



Model	DS 200	DS 300	DS 400	DS 600
Storage volume (litre)	21	27	35	52
Cabinet colour	Black or white	Black or white	Black or white	Black or white
Dimensions Stand-alone (H x W x D, in mm)	495 x 422 x 393	580 x 422 x 393	580 x 422 x 450	592 x 486 x 494
Dimensions Built-in version* (H x W x D, in mm)	455 x 422 x 383	540 x 422 x 383	540 x 422 x 440	552 x 486 x 484
Can be built-in/integrated	■	■	■	■
Variable door hinge	■	■	■	■
LED interior light	■	■	■	■
Input rating (W)	65	65	65	85
Energy consumption (kWh/24 h)	0.74	0.76	0.80	0.88
Noise level (db[A])	0	0	0	0
Options	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting 	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting 	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting 	<ul style="list-style-type: none"> ■ Sliding hinge ■ Lock ■ Wheels ■ Wall mounting

Models

DS 200	DS 300	DS 400	DS 600
<ul style="list-style-type: none"> ■ Adjustable plastic shelf with recess for tall bottles ■ Flat inner door 	<ul style="list-style-type: none"> ■ 2 adjustable plastic shelves with recess for tall bottles ■ Flat inner door 	<ul style="list-style-type: none"> ■ 2 adjustable plastic shelves ■ 3 adjustable door racks 	<ul style="list-style-type: none"> ■ 2 adjustable plastic shelves ■ 3 adjustable door racks

* BI version: for fully-integrated installation (without decorative panel, base frame, unit cover and housing cover, with sliding hinge)



Stand-alone model with decorative panel.



NEW

E Line

The Efficient Class by Dometic

Compact and extremely economical

Cooling comfort with real savings potential. The miniBars in the Efficient Class have a particularly compact design and also make a positive contribution to the energy balance. E Line miniBars use an energy-efficient, silent thermoelectric cooling system with a superior A+ energy efficiency index. They will be a 100% fit replacement option for old 30 and 40 litre miniBars from previous generations.

And it's not only you who benefits. The miniBars in the Efficient Class give your guests added value too. Snacks and beverages are kept chilled all the time.

EFFICIENT // COMPACT // SILENT



- Powerful thermoelectric cooling unit
- Adjustable temperature setting
- Fully-automatic defrosting for maximum comfort

E Line

Economical and compact



Thanks to energy efficiency class A+, you reduce your monthly operating costs with the Dometic E Line miniBars.



Look forward to your electricity bill! The miniBars in the E Line have the A+ energy efficiency class and a record-breaking low power consumption. The outer dimensions of the miniBar are also extremely compact thanks to the thermoelectric cooling units. And the interior temperature is evenly distributed at all times due to a fan with low-noise operation. Furthermore, the models score points with a well-organised interior and an attractive LED interior light.

Leasing and financing *

TIP

The flexible leasing and financing options of our products offer you the required financial freedom you need and also allow tax benefits. Select from our tailor-made leasing or financing options. Get in touch with us. We'd be glad to explain the benefits to you and make you a personal offer.

* Available for selected countries.

E Line

Product comparison



Model	RH 430 STE	RH 440 STE
Model class (litre)	30	40
Storage volume (litre)	26	35
Cabinet colours	Anthracite	Anthracite
Dimensions (H x W x D, in mm)	522 x 384 x 395	554 x 401 x 425
Can be built-in/integrated	■	■
Variable door hinge	■	■
LED interior light	■	■
Input rating (W)	55	55
Energy consumption (kWh/24 h)	0.29	0.30
Energy efficiency class	A+	A+
Noise level (db[A])	33.8	33.8


Models

RH 430 STE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles, with spacers
- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 440 STE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles
- 1 adjustable shelf
- Sensor-controlled LED interior light



Mobile miniBars

**Drawer
miniBars**

**Health care
refrigerators**

**miniCool with
freezer**



The Dometic Special Class

Individual products and special solutions

Special requirements need special solutions. The Special Class from Dometic particularly takes up where ordinary refrigerators leave off. Whether that is in the design, size or its own special look – the miniBars offer a variety of unique features for a range of different needs.

Drawer miniBars, mobile miniBars with rollers, silent miniCool refrigerators with freezer or special health care – in the Special Class you are sure to find the right cooling solution for your needs.

RH 456 LD

Stand-alone miniBar with curved door



Ground-breaking miniBar design. 56 litre capacity (incl. 16 litre ambient temperature compartment). Can be fitted as a built-in unit (RH 456 LDE) or stand-alone miniBar (RH 456 LD). The elegant curved door with acrylic glass panel provides a clear view into the illuminated ambient temperature compartment. Door opening control display. Sensor-controlled LED interior light.

- Silent absorption cooling
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting



Model	RH 456 LD/LDE
Storage volume (litre)	40
Ambient compartment (litre)	16
Cabinet colour	Anthracite
Dimensions RH 456 LD Stand-alone (H x W x D, in mm)	719 x 450 x 505
Dimensions RH 456 LDE Built-in version (H x W x D, in mm)	662 x 450 x 505
Input rating (W)	65
Energy consumption (kWh/24 h)	0.83
Noise level (db[A])	0
Options	<ul style="list-style-type: none"> ■ Door hinge, left (for project orders) ■ LED door opening control display ■ Remote control for temperature setting

Model

RH 456 LD

Stand-alone unit with rollers

- 2 adjustable door racks for mini bottles
- 1 adjustable door rack for bottles and cans
- Bottle fingers
- 1 adjustable shelf
- LED interior light

Available as an integrated model (LDE version) without rollers and cover panel on top.

RH 465 LD

Stand-alone miniBar with wooden cabinet




Stand-alone miniBar design on rollers featuring a 32 litre refrigerated and 25 litre ambient compartment. Sensor-controlled LED interior light. Unique, sensor-controlled monitoring of the cooling unit (CUC system). Beech wood cabinet as standard. Available in various colours for project orders*. Door with snap lock. Variable version of inner door with 3 racks (2 for small bottles, 1 for large bottles). Non-chilled ambient compartment for glasses, snacks and beverages – or for installing a Dometic Safe (proSafe 281, MD 281, MD 282).

- Silent absorption cooling
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting



* Colour selection for project orders



Optional door opening control LED

Model

RH 465 LD

- 2 adjustable door racks for small bottles
- 1 adjustable door rack for bottles and cans
- Bottle fingers and spacer for a safe and secure hold in the lower door rack
- 2 adjustable shelves
- Wood cabinet in beech decor

Model	RH 465
Storage volume (litre)	32
Ambient compartment (litre)	25
Cabinet colours	Beech wood decor
Dimensions	814 x 457 x 443
Stand-alone (H x W x D, in mm)	771 x 457 x 443 (without wheels)
LED interior light	■
Input rating (W)	65
Energy consumption (kWh/24 h)	0.70
Noise level (db[A])	0
Options	<ul style="list-style-type: none"> ■ LED door opening control display ■ Colour selection for project orders* ■ Remote control for temperature setting ■ Door knob instead of snap lock



DM 50

Drawer miniBar

World innovation – awarded with the Gold Star Award: the pull-out Dometic DM 50 miniBar can be matched to the interior decor of your hotel. This innovative built-in miniBar has two refrigerated drawers – one for mini bottles and snacks, the other for bottles and cans. The unique drawer miniBar comes in two versions: fully equipped with an anthracite decorative panel and handle (DM 50 D) or prepared for furniture integration with a matching decor panel (DM 50 F). The miniBar is specially designed so that the guest can see all its contents at a glance.



- Unique design with automatic slide-out for mini bottle and snack tray
- Thermoelectric cooling unit for low energy consumption
- Silent operation
- Patented and Design awarded technology



LED interior light



Two compartments for tempting product presentation



Model

DM 50 D/F

- Highly flexibel system of dividers and bottle fingers
- DM 50 D: with a decorative anthracite panel and handle
- DM 50 F: prepared for a wood decor panel to match the furniture design of the room

Model	DM 50 D/F
Model class (litre)	50
Storage volume (litre)	45
Cabinet colour	Anthracite
Dimensions (H x W x D, in mm)	DM 50 D: 418 x 550 x 508 DM 50 F: 418 x 550 x 480
LED interior light	■
Input rating (W)	80
Energy consumption (kWh/24 h)	0.38
Energy efficiency class	A
Noise level (db[A])	28
Options	Lock



miniCool health care refrigerator

For maintaining optimum temperatures

The ideal solution for storing heat-sensitive medicine safely at a temperature between 2 °C and 8 °C. The compartments enable you to keep the medicine arranged and grouped clearly. A digital thermometer monitors the internal temperature and stores the highest and lowest temperature for a control period set by you.

Perfectly suited for:

pharmacies, doctors' practices, nursing wards, nursing homes

- LED interior light
- Drawers with flexible compartments for well-arranged storage of medicine
- Digital thermometer with memory (min./max.)
- Audible warning if the door is open for more than 20 seconds
- Constant temperature level due to integrated fan
- Door lock for secure storage



Door lock for storing medicine securely



The fan enables optimum air circulation to the cooling fins



Digital thermometer with memory

Health care refrigerators

Product comparison



Model	DS 301 H	DS 601 H
Storage volume (litre)	27	52
Cabinet colour	White	White
Dimensions Stand-alone (H x W x D, in mm)	580 x 422 x 393	592 x 486 x 494
Input rating (W)	65	85
Energy consumption (kWh/24 h)	0.86	1.05

Model

DS 301

- LED interior light
- Door handle
- Digital thermometer with memory (min./max.)
- 3 drawers with flexible compartments
- Door lock

DS 601

- LED interior light
- Door handle
- Digital thermometer with memory (min./max.)
- 3 drawers with flexible compartments
- Door lock

miniCool with freezer

The space-saving miracle

Small space, great versatility. The miniCool models with integrated freezers provide cooling comfort in a compact housing. The space-saving design makes them suitable for use in small spaces where a freezer is required.



- Powerful cooling system
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting (WA 3200)



Models

WA 3200

- With curved door
- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light

EA 3280

- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light

Model	WA 3200	EA 3280
Storage volume (litre)	54	65
Freezer (litre)	5	6
Cabinet colour	White	White
Dimensions Stand-alone (H x W x D, in mm)	592 x 486 x 496	592 x 525 x 533
Input rating (W)	95	105
Can be built-in/integrated	–	■
Variable door hinge	■	■
Power consumption (kWh/24 h)	1.40	1.60
Noise level (db[A])	0	0
Options		





Dometic miniBars

Handy hints on ventilation

To ensure optimum cooling performance with minimum energy consumption, several basic principles need to be followed when installing an absorption miniBar. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the miniBar. There must be sufficient ventilation here to prevent a

build-up of heat. The free ventilation space for incoming and outgoing air should be at least 200 cm². The distance from the rear of the miniBar to the rear wall of the furniture must be at least 2 cm. When installing the miniBar, ensure that it is standing on a stable and horizontal surface, and not directly near a heat source.



Outgoing air (warm), incoming air (ambient)

Product line	Model	Model class Litre	Storage Volume Litre	Housing colours	Built-in version dimensions Height x Width x Depth, mm	Stand-alone dimensions Height x Width x Depth, mm
Comfort Class						
HiPro Line	HiPro 3000	30	26	Anthracite	527 x 388 x 418	–
	HiPro 4000	40	34	Anthracite	559 x 405 x 452	601 x 405 x 472
	HiPro Vision	40	34	Anthracite	559 x 405 x 465	601 x 405 x 485
	HiPro 6000	60	48	Anthracite	568 x 490 x 475	–
Classic Line	RH 423 LDA	23	23	Anthracite	435 x 422 x 384	463 x 422 x 384
	RH 439 LD	30	25	Anthracite	522 x 380 x 434	522 x 380 x 434
	RA 449 LD	40	32	Anthracite	552 x 422 x 439	580 x 422 x 439
	RH 548 LD	40	37	Anthracite	554 x 401 x 446	554 x 401 x 446
	RH 569 LD	60	58	Anthracite	560 x 486 x 484	560 x 486 x 484
	RH 429 LDAG	20	18	Anthracite	435 x 422 x 384	463 x 422 x 384
	RH 439 LDAG	30	26	Anthracite	522 x 380 x 434	550 x 380 x 434
	RH 449 LDAG	40	33	Anthracite	552 x 422 x 439	580 x 422 x 439
	Basic Line	RH 131 D/LD	30	28	Black	524 x 380 x 445
RH 141 D/LD		40	38	Black	554 x 422 x 451	582 x 422 x 451
Food Line	DS 200	20	21	White, black	455 x 422 x 383	495 x 422 x 393
	DS 300	30	27	White, black	540 x 422 x 383	580 x 422 x 393
	DS 400	40	35	White, black	540 x 422 x 440	580 x 422 x 450
	DS 600	60	52	White, black	552 x 486 x 484	592 x 486 x 494

Efficient Class						
E Line	RH 430 STE	30	26	Anthracite	522 x 384 x 395	–
	RH 440 STE	40	35	Anthracite	554 x 401 x 425	–

Special Class						
Mobile miniBars	RH 456 LD/LDE	–	40 + 16	Anthracite	662 x 450 x 505	719 x 450 x 505
	RH 465 LD	–	32 + 25	Beech	771 x 457 x 443	814 x 457 x 443
Drawer miniBars	DM 50	50	45	Anthracite	DM 50 D: 418 x 550 x 508 DM 50 F: 418 x 550 x 480	–
Health care refrigerators	DS 301 H	30	27	White	–	580 x 422 x 393
	DS 601 H	60	52	White	–	592 x 486 x 494
miniCool with freezer	WA 3200	60	54 + 5 (freezer)	White	–	592 x 486 x 496
	EA 3280	70	65 + 6 (freezer)	White	–	592 x 525 x 533

Subject to errors and product modifications

Product line	Model	Food suitability	freezer	Glass door	Sliding hinge integration possible	Door hinge changeable	Decor panel**	Power consumption kWh/24 h*	Energy efficiency class
Comfort Class							** Custom made decor panel for project orders		
HiPro Line	HiPro 3000	–	–	–	■	■	■	0.57	C
	HiPro 4000	–	–	–	■	■	■	0.65	C
	HiPro Vision	–	–	■	■	■	–	0.74	D
	HiPro 6000	–	–	–	■	■	■	0.70	D
Classic Line	RH 423 LDA	–	–	–	■	■	■	0.70	D
	RH 439 LD	–	–	–	■	■	■	0.65	D
	RA 449 LD	–	–	–	■	■	■	0.70	D
	RH 548 LD	–	–	–	■	■	■	0.75	E
	RH 569 LD	–	–	–	■	■	■	0.85	E
	RH 429 LDAG	–	–	■	–	■	–	0.80	E
	RH 439 LDAG	–	–	–	–	■	–	0.83	E
	RH 449 LDAG	–	–	■	–	■	–	0.84	E
	Basic Line	RH 131 D/LD	–	–	–	■	■	–	0.73
RH 141 D/LD		–	–	–	■	■	–	0.75	D
Food Line	DS 200	■	–	–	■	■	■	0.74	D
	DS 300	■	–	–	■	■	■	0.76	E
	DS 400	■	–	–	■	■	■	0.80	E
	DS 600	■	–	–	■	■	■	0.88	E
Efficient Class									
E Line	RH 430 STE	–	–	–	■	■	–	0.29	A+
	RH 440 STE	–	–	–	■	■	–	0.30	A+
Special Class									
Mobile miniBars	RH 456 LD/LDE	–	–	–	■	–	–	0.83	E
	RH 465 LD	–	–	–	■	–	–	0.70	D
Drawer miniBars	DM 50 D	–	–	–	■	–	–	0.38	A
Health care refrigerators	DS 301 H	–	–	–	–	■	■	–	–
	DS 601 H	–	–	–	–	■	■	–	–
miniCool with freezer	WA 3200	■	■	–	–	■	–	1.40	G
	EA 3280	■	■	–	■	■	–	1.60	G

Subject to errors and product modifications



The Dometic Group is a customer-orientated, worldwide leading manufacturer of innovative comfort products for the RV, truck, car and boat markets. The corporate group serves industry clients, as well as the aftermarket with a complete range encompassing air conditioners, cooling appliances, awnings, lighting systems, cookers, deluxe toilets and hygiene equipment, mobile power supply products, comfort and safety solutions, doors, windows and many other products – all designed to bring comfort and convenience to people on the move.

Furthermore, the Dometic Group supplies workshop equipment for the maintenance and repair of vehicle air conditioners.

Dometic Group is the current market leader for special refrigerators for hotels, offices and medical facilities as well as customised wine refrigerators.

Dometic Group products are sold in almost 100 countries around the globe and mainly manufactured in proprietary production plants.



www.dometic.com/lodging

**Discover the new,
award winning range
of Dometic safes,
wine cellars and
wine refrigerators.**

Request
a free
catalogue
now!



At your Service.

You can find the addresses of all the sales companies and distributors at:

www.dometic.com/lodgingsupport

NETHERLANDS

Dometic Benelux B.V.

Ecustraart 3
NL-4879 NP Etten-Leur
Tel +31 76 5029000
Fax +31 76 5029019
Mail info@dometic.nl

BELGIUM

Dometic Branch Office Belgium

Zinkstraat 13
B-1500 Halle
Tel +32 2 3598040
Fax +32 2 3598050
Mail info@dometic.be

DENMARK

Dometic Denmark A/S

Nordensvej 15, Taulov
DK-7000 Fredericia
Tel +45 75585966
Fax +45 75586307
Mail info@dometic.dk

FINLAND

Dometic Finland OY

Mestarintie 4
FIN-01730 Vantaa
Tel +358 20 7413220
Fax +358 9 7593700
Mail info@dometic.fi

GERMANY

Dometic GmbH

In der Steinwiese 16
57074 Siegen
Tel +49 271 692 0
Fax +49 271 692 302
Mail info@dometic.de

ITALY

Dometic Italy S.r.l.

Via Virgilio, 3
I-47122 Forlì (FC)
Tel +39 0543 754901
Fax +39 0543 754983
Mail vendite@dometic.it

NORWAY

Dometic Norway AS

Østerøyveien 46
N-3232 Sandefjord
Tel +47 33428450
Fax +47 33428459
Mail firmapost@dometic.no

POLAND

Dometic Poland Sp. z o.o

ul. Pulawska 435A
PL-02-801 Warszawa
Tel +48 22 414 3200
Fax +48 22 414 3201
Mail info@dometic.pl

PORTUGAL

Dometic Spain, S.L.

Sucursal em Portugal
Beloura Business Center
Rua dos Navegantes, Bloco 3, 1ªA
2710-297 Sintra
Tel +351 219 244 173
Fax +351 219 243 206
Mail info@dometic.pt

RUSSIA

Dometic RUS LLC

Komsomolskaya square 6 – 1
RU-107140 Moscow
Tel +7 495 780 79 39
Fax +7 495 916 56 53
Mail info@dometic.ru

SOUTH AFRICA

Dometic (Pty) Ltd.

Regional Office
South Africa & Sub-Saharan Africa
P.O. Box 2562
2008 Bedfordview
Tel +27 11 4504978
Fax +27 11 4504976
Mail info@dometic.co.za

SPAIN

Dometic Spain S.L.

Avda. Sierra del Guadarrama, 16
E-28691 Villanueva de la Cañada
Madrid
Tel +34 902 111 042
Fax +34 900 100 245
Mail info@dometic.es

SWEDEN

Dometic Scandinavia AB

Gustaf Melins gata 7
S-421 31 Västra Frölunda
Tel +46 31 7341100
Fax +46 31 7341101
Mail info@dometic.se

UNITED ARAB EMIRATES

Dometic Middle East FZCO

P.O. Box 17860
S-D 6, Jebel Ali Freezone
Dubai
Tel +971 4 883 3858
Fax +971 4 883 3868
Mail info@dometic.ae

UNITED KINGDOM

Dometic UK Ltd.

Dometic House, The Brewery,
Blandford St. Mary
Dorset DT11 9LS
Tel +44 844 626 0133
Fax +44 844 626 0143
Mail lodging@dometic.co.uk