CATALOGUE


A) DOMETIC

16

INBAR INICOOL

PRODUCT RANGE









At your Service	4
About Dometic	5
Perfect guest service	8
Product finder	9

DOMETIC COMFORT CLASS

HiPro Line	12
Classic Line	14
Basic Line	18
Food Line	20

DOMETIC ECO CLASS

Eco Line NTE	24
Eco Line Glass Door	26

DOMETIC SPECIAL CLASS

Drawer miniBars	28
miniCool with freezer	32
Ventilation guidelines	35
Product overview	36

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

DOMETIC.COM/HOTEL DOMETIC.COM/CARE DOMETIC.COM/CRUISELINE

SPECIAL CLASS

Special solutions for individual requirements – drawer miniBars and miniCool refrigerators for hotels and offices.

0

PAGE 26 - 34



AT YOUR SERVICE.

Individual, discreet and available at all times, service has many faces, but only one goal: to provide very special all-round comfort. With Dometic's exceptional miniBars, good service becomes even better. They make room for extra comfort and enhance the individual character of the interior.

A miniBar from Dometic never rests. Available 24 hours a day, it provides an additional service that always pays off. It also runs

noiseless, without moving parts and vibration, and is very economical in terms of energy consumption. That brings an efficiency benefit as well as additional comfort. Wherever it is used – a miniBar from Dometic is bound to boost sales and customer satisfaction. It caters for the needs of guests without disturbing their privacy, and provides a service that is discreet in the background but still readily available.

DISCOVER DOMETIC THE WORLD'S NUMBER ONE FOR MINIBARS

- More than 45 years of experience in the hotel industry
- More than 5 million miniBars installed around the world
 10 million absorption refrigerators produced,
- "Made in Germany"
- All products are manufactured in Dometic owned production plants
- All Dometic production plants are certified according to ISO 9001 and ISO 14001
- Global customer support in more than 100 countries
- Comprehensive product range: miniBars for all room designs, all requirements and all budgets.
- Research & development, design, production, quality control, after-sales service everything from a single source



DOMETIC THE SATISFACTION NETWORK

SUCCESS FROM OVER 90 YEARS OF EXPERIENCE

Noiseless absorption cooling technology has been the foundation of our position as the world's leading provider of miniBars and guest fridges. The company's success is based on a unique combination of know-how, state-of-the-art technology, a pioneering spirit and innovative design. Decades of experience and continuous customer feedback has enabled Dometic to perfect the absorption cooling technology. Today, more than 90 years after absorption cooling was invented, Dometic miniBars are still setting the trend when it comes to quality, technology and design. More than 5 million appliances have already been sold – an unrivalled record of success. The "Satisfaction Network" now spans almost 100 countries and provides personal support to customers and planners on all continents. The German factory in Siegen is home to the world's largest and most modern production site for absorption refrigerators. Every day Dometic equips two hotels with miniBars somewhere in the world.



Dometic absorption refrigerator production factory in Siegen, Germany



OUR RESPONSIBILITY SUSTAINABLE AND ENVIRONMENTALLY CONSCIOUS

At Dometic, thinking and acting ecologically is an all-embracing process that extends to all levels. In addition to the environmentally sustainable production, this also includes special recycling measures and resource saving products, and in particular the design of energy-efficient miniBars. For instance, the Dometic HiPro 3000 is the most economical absorption miniBar in the world. You can be 100% sure that all the applicable regulations, directives and guidelines are fulfilled at Dometic.

- All Dometic production plants are certified according to ISO 9001 and ISO 14001 as well as the Eco-Management and Audit Scheme
- EMAS-certified company with publication of all environmental results in Dometic Environmental Product Declarations
- All products fulfil the requirements of the European Union's ROHS directive
- All energy consumption labels correspond to the requirements of the Commision Regulation (EC) No. 643/2009 and Commission Regulation (EU) 1060/2010



Further information can be found at **DOMETIC.COM**

DOMETIC MINIBARS

PERFECT GUEST SERVICE - 24/7

Why should hotels have miniBars?

Just like the lift or the swimming pool, a guest fridge is part of good customer service. Therefore, the guest fridge is a piece in the mosaic of all the services offered by the hotel. In other words, if the hotel owner does not provide a guest fridge in the hotel room, the hotel service suffers. The best way to use the guest fridge in the total comfort package to Hotel guest can vary from one Hotel to another. Being fully stocked for profit optimisation, or with selected products included in the room rate, a flat fee approach for most sold items or an empty guest fridge for people travelling and expecting a guest fridge to store and chill their personal items like medicine, insulin or food. The convincing concept will very much depend on the guest structure of the Hotel.

How does the miniBar become an instant profit centre?

Pricing: if the prices are too high, then the guest will not use the miniBar! The prices in the miniBar should in general not be more expensive than those in the hotel bar.

Product offering: the miniBar selection has to match the type of guests at the hotel and should be clear and not too wide. Some advice: Check what sells well and eliminate "dead ducks".

Positioning the miniBar: the miniBar should not be "hidden away" in the room. The guest should be tempted to consume something from the miniBar just by looking at it. To trigger an impulse buy, a nicely stocked glass door miniBar close to the TV will do its job.


What do I need to consider when purchasing miniBars?

The miniBar has to be silent so that guests can sleep peacefully in the room. But energy consumption, lifetime and support are also important selection criteria. There are various cooling technologies to choose from, but absorption is the best choice for hotel rooms. The HiPro 3000 miniBar by Dometic is the world's most economical absorption miniBar on the market. When buying a miniBar, make sure that the energy consumption of the appliance corresponds to the EU directives 643/2009 and 1060/2010. With Dometic you can be 100% sure that all the applicable requirements are fulfilled.

What do hotel managers need to do to ensure that miniBars meet their expectations?

Pay attention to the right marketing. Leaflets, the website or personal conversations at check-in are the "touch points" to use for promoting the miniBar. Another sales booster could be to offer the guest a sweet or savoury snack from the miniBar free of charge.

Furthermore, a uniform, reasonable pricing model helps – for example, all drinks at the same low price. That is affordable and the guest sees this as fair. Many hotels are now starting to use "all-inclusive" offers, i.e. all drinks and snacks are free for the guest and have already been added to the price of the room.



WHAT'S IMPORTANT TO YOU?	LIFE TIME	SILENCE	ENERGY EFFICIENCY	COOLING PERFORMANCE	SUITABLE FOR FOOD STORAGE	PAGE NUMBER
COMFORT CLASS						
HiPro Line	••••				0	12
Classic Line	•••••	••••			0	14
Basic Line	•••••	••••			0	18
Food Line	••••	••••		••••	•	20
ECO CLASS						
Eco Line NTE			••••		0	24
Eco Line	•••••	••••			0	26
Eco Line Glass Door	••••	••••	••000		0	26
SPECIAL CLASS						
Drawer miniBars		••••	••••		0	28
miniCool with freezers	••••	••••	••000	••••	0	34

PRODUCT FINDER

THE FAST WAY TO THE RIGHT PRODUCT

Lifetime

Using moving parts in the cooling system determines the service life time substantially. Absorption and NTE miniBars from Dometic do not use any moving parts at all and are therefore ideal for long use.

Silence

The guest's comfort while sleeping can be disturbed by many things – including a noisy miniBar. Dometic absorption and NTE cooling technology miniBars are completely noiseless (0 dbA).

Energy efficiency

miniBars are operating 24h/7/365 and mostly in more than just one room. That is why energy efficiency plays a major role. Alongside the extremely economical miniBars in the Efficient Class, the HiPro Line miniBars have proven to be the lowest energy consumers amongst absorption miniBars.

Cooling performance

A miniBar should always operate at a stable and desired performance level while working as efficiently and economically as possible. The cooling performance depends on the place of installation, the ventilation as well as on the cooling technology itself.

Suitable for food storage

While miniBars are primarily intended for cooling drinks and snacks, the models from the Food Line also offer the option of storing unpackaged fresh food.

The silent appliances in the Food Line ensure an interior temperature of 4 $^{\circ}\text{C}$ for ambient temperatures of up to 32 $^{\circ}\text{C}.$

/ HIPRO LINE / CLASSIC LINE / BASIC LINE / FOOD LINE

CONFOR CLASS



THE COMFORT CLASS BY DOMETIC

QUALITY WITHOUT COMPROMISE NOISELESS // LONGEST LIFETIME // TOP COOLING PERFORMANCE

Comfort at the highest level – versatile, comprehensive, reliable. With Comfort Class, noiseless cooling comfort becomes reality. Thanks to innovative absorption technology, Dometic miniBars work completely noiseless and maintenance-free. Four distinguished product lines to suit every Hotel and budget category. Elegant in design and layout, these models make room for drinks and snacks, as well as food, to be efficiently cooled to exactly the right temperature. Comfort Class miniBars are the best choice in the long-run, taking into account their lowest operating cost. They offer great savings potential for you and protect the environment due to a lifetime which is nearly twice as long as other appliances not using the absorption cooling technology.

- Fuzzy Logic, the intelligent chip controller for optimised temperature management and the lowest power consumption. You lower your energy costs by 50% and more!
- Cooling Unit Control (CUC system) offers maximum security with sensor-controlled monitoring of the cooling unit.
- Fully-automatic defrosting for maximum comfort

THE LOWEST ENERGY CONSUMING ABSORPTION MINIBAR IN THE WORLD

HIPRO LINE

Dometic HiPro has redefined the standards for pioneering miniBar design – the result of over nine decades of consistent development. With the aim of maximum customer satisfaction, we have scrutinised all the requirements of comfort and technology in detail. The result will impress you.

HiPro miniBars are distinctive due to their progressive design and a whole host of innovative technical detail solutions that are so unique that we have grouped them together under the name HiPro technology.

HiPro technology stands for a quality dimension which only Dometic can offer you.

Made in Germany

HIPRO LINE PRODUCT COMPARISON MODEL	HIPRO 3000	HIPRO 4000	HIPRO VISION	HIPRO 6000
Model class (litre)	30	40	40	60
Storage volume (litre)	26	34	34	48
Cabinet colour	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions Built-in version (H x W x D, in mm)	527 x 388 x 418	559 x 405 x 452	559 x 405 x 465	568 x 490 x 475
Can be built-in/integrated	•	•	•	•
Variable sliding hinge	•	•	-	•
Variable door hinge	•	•	•	•
LED interior light	•	•	•	•
Input rating (W)	65	65	65	80
Energy consumption (kWh/24 h)	0.57	0.65	0.74	0.70
Noise level (db[A])	0	0	0	0
Model versions	Basic, Standard	Basic, Standard, Premium	Acrylic Glass Door with two shelves	Basic, Standard
Options	 Lock Decorative panel LED door opening control display Infra-red remote control 	 Lock Decorative panel LED door opening control display Infra-red remote control Also available as standalone model* 	 Lock LED door opening control display Infra-red remote control Also available as standalone model* Colour Options: Grey, Orange, Red, Dark Blue 	 Lock Decorative panel LED door opening control display Infra-red remote control

*Available with rear wall cover and 42 mm feet (+20 mm depth).

FEATURES OF THE HIPRO LINE

Every HiPro miniBar contains the best of 90 years of experience. The HiPro 3000 is the lowest energy consuming absorption miniBar in the world!

- Modular system of shelves and door racks
- Lowest energy consumption for noiseless absorption miniBars
- Setup diagnosis via LED
- Sensor-controlled LED interior light
- LED door opening control display (optional)
- Temperature setting by remote control
- Clip & Click: door hinge can be changed without tools
- Fuzzy Logic Technology
- Automatic Defrost



HIPRO BASIC

- 2 long shelves
- Flat inner door
- Integrated door handle



HIPRO STANDARD

- 2 short shelves
- Inner door with 2 multifunctional racks (one for large bottles and one for small)
- Inner door in the "bottle body" design for 1.5-litre bottles
- Integrated door handle

EASY REPLACEMENT OR ADDITIONAL COMFORT



Energy-saving made easy. With the Classic Line models, contemporary cooling comfort has now arrived. Equipped with innovative and energy-efficient absorption cooling technology, the miniBars ensure silent service and maintenance-free comfort with added value. This is also due to sensor-controlled monitoring of the cooling unit, energy-efficient Fuzzy Logic temperature regulation, automatic defrost and proven Dometic design.

Made in Europe

ARE YOUR MINIBARS MORE THAN 15 YEARS OLD?

If yes, it's worth replacing your appliance immediately. You can save on energy by more than 50% with today's miniBars featuring Fuzzy Logic technology. Just by saving on energy, your new investment will pay for itself within a few years, because old miniBars sometimes consume more than double the energy. Get in touch with us! We will be glad to advise you.

CLASSIC LINE PRODUCT COMPARISON	RH 423 LDA	FH 439 LD / RH 449 LD	RH 548 LD	RH 569 LD
Model class (litre)	23	30/40	40	60
Storage volume (litre)	23	25/32	37	58
Cabinet colour	Anthracite	Anthracite	Anthracite	Anthracite
Dimensions Built-in version (H x W x D, in mm)	435 x 422 x 384	522 x 380 x 434 (RH 439 LD) 552 x 422 x 439 (RH 449 LD)	554 x 401 x 446	560 x 486 x 484
Can be built-in/integrated	•	•	•	•
Sliding hinge	•	•	•	•
Variable door hinge	•	•	•	•
LED interior light	•	•	•	•
Input rating (W)	65	65	65	75
Energy consumption (kWh/24 h)	0.70	0.65 / 0.70	0.75	0.76
Noise level (db[A])	0	0	0	0
Options	 LED door opening control Temperature setting by remote control Door handle Also available as stand- alone model (FS version) 	 LED door opening control Temperature setting by remote control Door handle Also available as stand- alone model (FS version) 	 LED door opening control Temperature setting by remote control 	 LED door opening control Temperature setting by remote control

FEATURES:

RH 423 LDA

- 1 door rack for smaller bottles
- 1 adjustable metal shelf with recess for tall bottles

RH 548 LD

- 2 adjustable door racks for bottles (small and large)
- 1 adjustable shelf

RH 439 LD / 449 LD

- 2 adjustable door racks for bottles (small and large)
- Both door racks with adjustable spacers
- 2 adjustable metal shelves

RH 569 LD

- 2 adjustbale door racks for bottles (small and large)
- 2 adjustable metal shelves
- Bottle fingers

GLASS DOOR MODELS – BLEND INTO THE ROOM PERFECTLY



Glass door miniBars will support guest consumption. Available in 3 model classes – for 20, 30 and 40 litres – these glass door models offer plenty of room for an appealing product presentation with potential for profit. All models feature Fuzzy Logic Technology, CUC System and automatic defrost

Made in Europe

DO YOU WANT TO MAKE THE MINIBAR BUSINESS EVEN MORE PROFITABLE?

Then do not hide the miniBar away in the room. Well placed miniBars with glass doors will enhance the room's interior considerably. The enticing product

presentation behind glass encourages impulse purchases.

CLASSIC LINE PRODUCT COMPARISON MODEL	I I I I I I I I I I I I I I I I I I I 	RH 439 LDAG	RH 449 LDAG
Model class (litre)	20	30	40
Storage volume (litre)	18	26	33
Cabinet colour	Anthracite	Anthracite	Anthracite
Dimensions Built-in version (H x W x D, in mm)	435 x 422 x 384	522 x 380 x 434	552 x 422 x 439
Can be built-in/integrated	•	•	•
Variable door hinge	•	•	•
LED interior light	•	•	•
Input rating (W)	75	75	75
Energy consumption (kWh/24 h)	0.74	0.75	0.75
Noise level (db[A])	0	0	0
Options	 LED door opening control Temperature setting by remote control Also available as stand-alone model (FS version) Door handle 	 LED door opening control Temperature setting by remote control Also available as stand-alone model (FS version) Door handle 	 LED door opening control Temperature setting by remote control Also available as stand-alone model (FS version) Door handle

FEATURES:

RH 429 LDAG

- 1 adjustable metal shelf with recess for tall bottles
- Glass door with aluminium frame

RH 439 LDAG

RH 449 LDAG

- 2 adjustable metal shelves
- Glass door with aluminium frame
- 2 adjustable metal shelves
- Glass door with aluminium frame

THE VALUE-FOR-MONEY CLASS



Dometic quality at a great price. With the 30 and 40-litre-class guest fridge of the Basic Line, you can get to know the value-for-money side of silent cooling comfort.

Technically advanced and absolutely reliable, the models represent an efficient view of modern absorption technology-made in Europe. This means you can blend the comfort of today with advanced Fuzzy Logic technology without exceeding your budget.

Made in Europe

BASIC LINE PRODUCT COMPARISON MODEL	RH 131 LD	RH 141 LD	RH 169 LDG
Model class (litre)	30	40	60
Storage volume (litre)	28	38	58
Cabinet colour	Black	Black	Black
Dimensions Built-in version (H x W x D, in mm)	524 x 380 x 445	554 x 422 x 451	560 x 486x 484
Can be built-in/integrated	•	•	•
Sliding hinge	•	•	-
Variable door hinge	•	•	•
LED interior light	•	•	•
Input rating (W)	65	65	115
Energy consumption (kWh/24 h)	0.73	0.75	2.0
Noise level (db[A])	0	0	0
Options	 Lock Also available as a stand-alone version (FS version) 	 Lock Also available as a stand-alone version (FS version) 	• Lock

SELLING MINIBAR PRODUCTS IS NOT GENERATING PROFIT FOR YOU?

Nevertheless, a cooling option in the room can still offer an extra service benefit. Provide your guests with an empty guest fridge. They can cool their own drinks, medicine, cosmetics, baby food and many other things – an extra service from you to your guests!

FEATURES:





RH 131

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves

RH 141

- 1 door rack for small bottles, with adjustable spacers
- 1 door rack for bottles and cans, with spacers
- 2 adjustable shelves
- Bottle fingers

RH 169

2 adjustable shelves

SUITABLE FOR FOOD AND MORE



Chilled drinks and food right at your fingertips all the time. When there is no room for an ordinary refrigerator, a miniCool in the Food Line series is a great advantage. Whether it's for everyday use in hospitals and nursing homes with the shortest possible distances for patients and residents or for a bit of privacy in student accommodation. The Food Line provides silent cooling comfort without compromising. As the only cooling appliance in this class, the models are suitable for fresh food.



Made in Europe

FOOD LINE

PRODUCT COMPARISON

MODEL	DS 200 FS/BI	DS 300 FS/BI	DS 400 FS/BI	DS 600 FS/BI
Storage volume (litre)	21	27	32	43
Cabinet colour	Black or white	Black or white	Black or white	Black or white
Dimensions FS* (H x W x D, in mm)	495 x 422 x 393	580 x 422 x 393	580 x 422 x 450	592 x 486 x 494
Dimensions Built-in version** (H x W x D, in mm)	455 x 422 x 383	540 x 422 x 383	540 x 422 x 440	552 x 486 x 484
Can be built-in/integrated	•	•	•	•
Variable door hinge	•	•	•	•
LED interior light	•	•	•	•
Input rating (W)	65	65	65	85
Energy consumption (kWh/24 h)	0.74	0.76	0.76	0.77
Noise level (db[A])	0	0	0	0
Options	Sliding hingeLockWheels	Sliding hingeLockWheels	Sliding hingeLockWheels	Sliding hingeLockWheels

*FS version: with foot frame, door decor panel and back cover

** BI version: for fully-integrated installation (with sliding hinge, without exterior ABS plastic cabinet, door panel and foot frame)



THE FOODLINE

Unique worldwide. No other noiseless refrigerator reaches an interior temperature of 4 °C at up to an ambient temperature of 32 °C.

FEATURES:

IDEAL FOR:

- Nursing homes
- Hospitals
- Offices/meeting rooms
- At home as an additional refrigerator in the bedroom, living room or children's room
- Student homes / apartments

DS 200

- Adjustable plastic shelf with recess for tall bottles
- Flat inner door

DS300


- 2 adjustable plastic shelves with recess for tall bottles
- Flat inner door

DS400

- 2 adjustable plastic shelves
- 3 adjustable door racks

DS600

- 2 adjustable plastic shelves
- 3 adjustable door racks





RH 440 NTE

THE ECO CLASS BY DOMETIC

COMPACT AND EXTREMELY ECONOMICAL EFFICIENT // COMPACT // NOISELESS

Cooling comfort with real savings potential. The miniBars in the Eco Class have a particularly compact design and also make a positive contribution to the energy balance. Eco Line NTE miniBars use an energy-efficient, noiseless thermoelectric cooling system with a superior A+ energy efficiency index. They will be a 100% fit replacement option for old 30 and 40 litre miniBars from previous generations.

And it's not only you who benefits. The miniBars in the Eco Class give your guests added value too. Snacks and beverages are kept chilled all the time.

- Powerful thermoelectric cooling unit
- Adjustable temperature setting
- Fully-automatic defrosting for maximum comfort
- Glass Door Option (Absorption cooling technology)

ECONOMICAL AND COMPACT



Look forward to your electricity bill! The miniBars in the Eco Line have the A+ energy efficiency class and a record-breaking low power consumption. The outer dimensions of the miniBar are also extremely compact thanks to the thermoelectric cooling units. Furthermore, the models score points with a well-organised interior and an attractive LED interior light.

ECO LINE NTE PRODUCT COMPARISON MODEL	RH 430 NTE	RH 440 NTE
Model class (litre)	30	40
Storage volume (litre)	25	34
Cabinet colours	Anthracite	Anthracite
Dimensions (H x W x D, in mm)	522 x 384 x 395	554 x 401 x 425
Can be built-in/integrated	•	•
Variable door hinge	•	•
LED interior light	•	•
Input rating (W)	55	55
Energy consumption (kWh/24 h)	0.29	0.29
Energy efficiency class	A+	A+
Noise level (db[A])	0	0



FEATURES:

RH 430 NTE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles, with spacers
- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 440 NTE

- 1 adjustable door rack for small bottles
- 1 door rack for large bottles
- 1 adjustable shelf
- Sensor-controlled LED interior light

ECONOMICAL AND COMPACT

ECO LINE ABSORPTION MINIBAR

The Eco Line Glass door miniBars with noiseless absorption cooling technology.

A tempting way to promote your snack and beverage assortment. Fuzzy Logic technology featuring patented Cooling Unit Control (CUC) and automatic defrost make these products unique.

ECO LINE GLASS DOOR PRODUCT COMPARISON MODEL	RH 430 LG	RH 440 LG	RH 460 LG
Model class (litre)	30	40	60
Storage volume (litre)	27	37	56
Cabinet colours	Anthracite	Anthracite	Black
Dimensions (H x W x D, in mm)	522 x 384 x 422	554 x 401 x 456	563 x 486x 484
Can be built-in/integrated	•	•	•
Variable door hinge	•	•	•
LED interior light	•	•	•
Input rating (W)	65	65	80
Energy consumption (kWh/24 h)	1.0	1.0	1.23
Noise level (db[A])	0	0	0

ECO LINE GLASS DOOR PRODUCT COMPARISON	RH 430 LD	RH 440 LD	RH 460 LD
Model class (litre)	30	40	60
Storage volume (litre)	26	36	55
Cabinet colours	Anthracite	Anthracite	Black
Dimensions (H x W x D, in mm)	522 x 384 x 410	554 x 401 x 446	563 x 486x 474
Can be built-in/integrated	•	•	•
Variable door hinge	•	•	•
LED interior light	•	•	•
Input rating (W)	65	65	80
Energy consumption (kWh/24 h)	0.71	0.72	1.02
Noise level (db[A])	0	0	0

FEATURES:

RH 430 LG

- Glass Door
- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 430 LD

- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 440 LG

- Glass Door
- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 440 LD

- 1 adjustable shelf
- Sensor-controlled LED interior light

RH 460 LG

- Glass Door
- 2 adjustable shelves
- Sensor-controlled LED interior light

RH 460 LD

- 2 adjustable shelves
- Bottle fingers
- Sensor-controlled LED interior light





THE DOMETIC SPECIAL CLASS

INDIVIDUAL PRODUCTS AND SPECIAL SOLUTIONS

Special requirements need special solutions. The Special Class from Dometic particularly takes up where ordinary refrigerators leave off. Whether that is in the design, size or its own special look – the miniBars offer a variety of unique features for a range of different needs. Drawer miniBars or silent miniCool refrigerators with freezer – in the Special Class you are sure to find the right cooling solution for your needs.

PATENTED DESIGN IN TWO SIZES

DRAWER MINIBARS



Convenient slide-out access, silent or even noiseless operation, low energy consumption: Dometic drawer miniBars set new standards in design and efficiency. Dometic DM 20 is the world's first noiseless 20-litre class drawer miniBar with an A++ energy rating. Having the same width as conventional 30-litre absorption miniBars, it will easily replace them. Dometic DM 50 provides 50 litres capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

FEATURES OF THE DRAWER MINIBARS

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort
- Patented and design awarded technology



FEATURES:

DM 20 D/F

- Highly flexibel system of dividers and bottle fingers
- DM 20 D: with a decorative anthracite panel and handle
- DM 20 F: prepared for a wood decor panel to match the furniture design of the room

DM 50 D/F

- Highly flexibel system of dividers and bottle fingers
- DM 50 D: with a decorative anthracite panel and handle
- DM 50 F: prepared for a wood decor panel to match the furniture design of the room

	Worlds first noiseless minibar with A++						
DM 20 / DM 50 PRODUCT COMPARISON MODEL	DM 20 D/F	DM 50 NTE D/F	DM 50 D/F				
Model class (litre)	20	50	50				
Storage volume (litre)	15.8	45	45				
Cabinet colours	Anthracite	Anthracite	Anthracite				
Dimensions Built-in version (H x W x D, in mm)	DM 20 D: 365 x 384 x 428 DM 20 F: 365 x 384 x 398	DM 50 NTE D: 418 x 550 x 517 DM 50 NTE F: 418 x 550 x 487	DM 50 D: 418 x 550 x 508 DM 50 F: 418 x 550 x 480				
Can be built-in/integrated	•	•	•				
LED interior light	•	•	•				
Input rating (W)	52	75	80				
Energy consumption (kWh/24 h)	0.20	0.25	0.38				
Energy efficiency class	A++	A+	А				
Noise level (db[A])	0	0	37.6				
Options	• Lock	• Lock	• Lock				

MINICOOL WITH FREEZER



Small space, great versatility. The miniCool models with integrated freezers provide cooling comfort in a compact housing. The space-saving design makes them suitable for use in small spaces where a freezer is required.

FEATURES OF THE MINICOOL WITH FREEZER

- Powerful cooling system
- Fuzzy Logic, the intelligent energy control
- Cooling Unit Control (CUC system)
- Fully-automatic defrosting (WA 3200)

MODEL	WA 3200	EA 3280
Storage volume (litre)	54	65
Freezer (litre)	5	6
Cabinet colour	White	White
Dimensions Stand-alone (H x W x D, in mm)	592 x 486 x 496	592 x 525 x 533
Input rating (W)	95	105
Can be built-in/integrated	-	•
Variable door hinge	•	•
Power consumption (kWh/24 h)	1.40	1.60
Noise level (db[A])	0	0

MODELS : WA 3200


- With curved door
- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light

EA 3280

- 2 adjustable door shelves
- 2 adjustable shelves
- Interior light

DOMETIC MINIBARS

HANDY HINTS ON VENTILATION



To ensure optimum cooling performance with minimum energy consumption, several basic principles need to be followed when installing an absorption miniBar. The heat which the cooling unit extracts from the refrigerator interior is emitted at the back of the miniBar.

There must be sufficient ventilation here to prevent a build-up of

heat. The free ventilation space for incoming and outgoing air should be at least 200 cm². The distance from the rear of the miniBar to the rear wall of the furniture must be at least 2 cm. When installing the miniBar, ensure that it is standing on a stable and horizontal surface, and not directly near a heat source.

MINIBAR & MINICOOL

PRODUCT OVERVIEW

PRODUCT LINE	MODEL	MODE	L CLASS (LITRE)	STORAGE VOLUME (LIT	RE) HOU	SING COLOURS	BUILT-IN VERSION DIME ONS (H X W X D, MM)		-ALONE DIMENSION (X D, MM)
COMFORT CLASS									
HiPro Line	HiPro 3000		30	26		Anthracite	527 x 388 x 418		-
	HiPro 4000		40	34		Anthracite	559 x 405 x 452		601 x 405 x 472
	HiPro Vision		40	34		Anthracite	559 x 405 x 465		601 x 405 x 485
	HiPro 6000		60	48		Anthracite	568 x 490 x 475		-
Classic Line	RH 423 LDA		23	23		Anthracite	435 x 422 x 384		463 x 422 x 384
	RH 439 LD		30	25		Anthracite	522 x 380 x 434		550 x 380 x 434
	RA 449 LD		40	32		Anthracite	552 x 422 x 439		580 x 422 x 439
	RH 548 LD		40	37		Anthracite	554 x 401 x 446		554 x 401 x 446
	RH 569 LD		60	58		Anthracite	560 x 486 x 484		560 x 486 x 484
	RH 429 LDAG		20	18		Anthracite	435 x 422 x 384		463 x 422 x 384
	RH 439 LDAG		30	26		Anthracite	522 x 380 x 434		550 x 380 x 434
	RH 449 LDAG		40	33		Anthracite	552 x 422 x 439		580 x 422 x 439
Basic Line	RH 131 D/LD		30	28		Black	524 x 380 x 445		552 x 380 x 455
	RH 141 D/LD		40	38		Black	554 x 422 x 451		582 x 422 x 451
	RH 169 LDG		60	58		Black	560 x 486 x 484		-
Food Line	DS 200		20	21		White, black	455 x 422 x 383		495 x 422 x 393
	DS 300		30	27		White, black	540 x 422 x 383		580 x 422 x 393
	DS 400		40	32		White, black	540 x 422 x 440		580 x 422 x 450
	DS 600		60	43		White, black 552 x 486 x			592 x 486 x 494
ECO CLASS									
Eco Line NTE	RH 430 NTE		30	25		Anthracite	522 x 384 x 395		-
	RH 440 NTE		40	34		Anthracite	554 x 401 x 425		-
Eco Line Absorption miniBars	RH 430 LG/LD		30	27/26		Anthracite	522 x 384 x 422/522 x 38	4 x 410	-
	RH 440 LG/LD		40	37/36		Anthracite	554 x 401 x 456/554 x 40	1 x 446	-
	RH 460 LG/LD		60	56/55		Anthracite	563 x 486 x 484 / 563 x 486 x 474		-
SPECIAL CLASS									
Drawer miniBars	DM 20 D/F		20	15.8		Anthracite	DM 20 D: 365 x 384 x 428 DM 20 F: 365 x 384 x 398		-
	DM 50 NTE D/F		50	45		Anthracite	DM 50 NTE D: 418 x 550 x 517 DM 50 NTE F: 418 x 550 x 487		-
	DM 50 D/F		50	45		Anthracite	DM 50 D: 418 x 550 x 508 DM 50 F: 418 x 550 x 480		-
miniCool with freezer	WA 3200		60	54 +5 (freezer)		White	-		592 x 486 x 496
	EA 3280		70	65 + 6 (freezer)		White	-		592 x 525 x 533
PRODUCT LINE	MODEL	FOOD SUITABILITY	FREEZER		SLIDING HINGE	DOOR HINGE CHANGEABLE		OWER CONSUMPTION	ENERGY EFFICIENCY

					POSSIBLE			(KWH/24 H*)	CLASS
COMFORT CLASS									
HiPro Line	HiPro 3000	-	-	-	•	•	٠	0.57	С
	HiPro 4000	-	-	-	•	•	•	0.65	С
	HiPro Vision	-	-	•	-	•	-	0.74	D
	HiPro 6000	-	-	-	•	•	•	0.70	D
Classic Line	RH 423 LDA	-	-	-	•	•	•	0.70	D
	RH 439 LD	-	-	-	•	•	•	0.65	D
	RA 449 LD	-	-	-	•	•	•	0.70	D
	RH 548 LD	-	-	-	•	•	•	0.75	D
	RH 569 LD	-	-	-	•	•	•	0.76	D
	RH 429 LDAG	-	-	•	-	•	-	0.74	D
	RH 439 LDAG	-	-	•	-	•	-	0.75	D
	RH 449 LDAG	-	-	•	-	•	-	0.75	D
Basic Line	RH 131 D/LD	-	-	-	•	•	-	0.73	D
	RH 141 D/LD	-	-	-	•	•	-	0.75	D
	RH 169 LDG	-	-	•	-	•	-	2.0	G
ood Line	DS 200	•	-	-	•	•	•	0.74	D
	DS 300	•	-	-	•	•	•	0.76	D
	DS 400	•	-	-	•	•	•	0.76	D
	DS 600	•	-	-	•	•	•	0.77	D
ECO CLASS									
co Line NTE	RH 430 NTE	-	-	-	•	•	-	0.29	A+
	RH 440 NTE	-	-	-	•	•	-	0.29	A+
co Line Absorption minibars	RH 430 LG/LD	-	-	•/-	-/•	•	-	1.0/0.71	F/D
	RH 440 LG/LD	-	-	•/-	-/•	•	-	1.0/0.72	F/D
	RH 460 LG/LD	-	-	•/-	-/•	•	-	1.23/1.0	G/F
SPECIAL CLASS									
Drawer miniBars	DM 20 D/F	-	-	-	-	-	•	0.20	A++
	DM 50 NTE D/F	-	-	-	-	-	•	0.25	A+
	DM 50 D/F	-	-	-	-	-	•	0.38	А
niniCool with freezer	WA 3200	•	•	-	-	•	-	1.40	G
	EA 3280	•	•	-			-	1.60	G

** Custom made decor panel for project orders * All energy consumption labels correspond to the requirements of the Commision Regulation (EC) No. 643/2009 and Commission Regulation (EU) 1060/2010.



Dometic is a global company that makes mobile living easy – by providing great solutions to satisfy people's essential needs when they are on the move. Like cooking, taking care of personal hygiene and maintaining a pleasant temperature. We offer smart and reliable products with outstanding design.



Regional office for Middle East & North Africa Dometic Middle East FZCO

S-D6 Jebel Ali Freezone, Near R/A#12 P.O.Box 17860 Dubai, United Arab Emirates Tel: +971 4 8833858 Fax: +971 4 8833868, Email: info@dometic.ae service@dometic.ae www.dometic.ae

UAE - Distributor

Jumbo Electronics Co. Ltd (LLC) PO Box 3426

PO Box 3426 Dubai, United Arab Emirates Tel: +971 4 3367999 / 3156381 Fax: +971 4 3156132 Email: dometic.uae@jumbo.ae www.jumbo.ae

KSA - Distributor (miniBar) Chbib Trading Co Ltd.

P.O.Box 87096, Riyadh 11642 King Abdul Aziz Road Kingdom of Saudi Arabia Tel: +966 114602086 Te: :+966 12 668 2674 Fax: +966 114607697 Email: chbib@chbib.com www.chbib.com

KSA - Distributor (Guest room electronic safe) Saudi Arabia Agencies Ltd. / SARA

PO Box 2563 Jeddah 21461 - Hamra Street SAUDI ARABIA T: +966 12 660 4833 F: +966 12 6611082 M : +966 56 0944 255 Email: mohammed.tahhan@saragroup.com www. saragroup.com

Kuwait - Distributor Al Shaya Enterprises

P.O Box 181, Safat 13002, Kuwait Phone : (+965) 22242371 Fax : (+965) 24839432 Email: info@alshayaenterprises.com shabir.baig@alshaya.com www.alshayaenterprises.com

Bahrain - Distributor Bahrain Gas W.L.L.

Bldg 725, Road 117 Sh. Salman Highway Tubli 701 33340 Manama, Kingdom of Bahrain Tel: +97317531111 Fax: +97317532112 Email: info@bahraingas.bh

Qatar - Distributor Video Home & Electronic Centre,

Building No.13, Zone No.47, Street No.902, Wakra Road. P.O.Box: 4668, Doha, Qatar. Tel: +974 4 4011779 Fax: +974 4 4761728 Email: vdohmqat@qatar.net.qa www.jumboqatar.net

Oman - Distributor Bahwan Electronics LLC P.O. Box:169, P.C.100,

Muscat Sultanate Of Oman Tel : +968 2 4650205 Fax : +968 2 4659795 Email: ceg@suhailbahwangroup.com www.suhailbahwangroup.com

Jordan - Distributor

AL - AHLIA Hotel Supplies co. Al Ouds Street

Al Sahabah District , Al Muqabaleen Amman, Jordan Tel : +962 6 5736914/16 Fax: +962 6 5736917 Email: kitchen@globalone.com.jo

Lebanon - Distributor

Eax: +9611.397.201

Electro Group International s.a.r.l 33 Amine Gemayel St., Sioufi, PO Box 166276, Ashrafleh, Beirut 11002110, Lebanon Tel: +9611 398558

Email: info@electrogroupintl.com

www.electrogroupintl.com

Iraq - Distributor Serrieh Trading & Distributing Mazen Khanati Italian Village - villa 617 Erbil - Iraq Tel: +964 7 501446555 Email: bassel.khanati@khanatigroup.com Email: mazen.khanati@gmail.com

Egypt -Distributor

Basco Engineering & Trading 20 Asmaa Fahmy st., Cairo, Egypt Tel: +202 2 2906997/ 22912247 Fax: +202 2 2906774 Email: info.egypt@basco-group.com www.basco-group.com

Algeria - Distributor Hotelia Assistance Conseil

142,lotissement bouchaoui 2 Cheraga Alger (Algeria) Tel: 00213661510066 Email: belfegas@yahoo.fr

Morocco - Distributor

SACOM SARL 19/21 rue Ahmed Ghali Casablanca 20000 Morocco Tel: +212 5 22 42 06 90/95 Fax: +212 5 22 26 46 50 Email: contact@sacom.ma www.sacom.ma

Tunisia - Distributor

Tunisie Représentation et Equipement

22 bis rue de l'énergie Atomique ZI La Charguia 1 2035, Tunis Carthage Tunisia Tel: + 216 71 807 566 Fax: + 216 71 955 079 Email: tre@tre.com.tn www.tre.com.tn

Mauritius -Distributor Emporium Marketing Ltd

D02-2 Meritt Genesis Sodnac Link Road Phoenix - 73525

Phoenix - 73525 Mauritius emporium@myt.mu Tel/Fax: +230 4248799 Email: emporium@myt.mu

Dometic Middle East FZCO, P.O.Box 17860, Phone: +971 4 8833858, Fax: +971 4 8833868, service@dometic.ae, info@dometic.ae

WE DISTRIBUTE OUR PRODUCTS IN AROUND 100 MARKETS. PLEASE ASK FOR YOUR CONTACT POINT IF NOT LISTED HERE OR CHECK THE WEB. DOMETIC.COM/HOTEL DOMETIC.COM/CARE DOMETIC.COM/CRUISELINE

Pakistan

(Handled by – Dometic Middle East)

Afghanistan

(Handled by – Dometic Middle East)

Yemen

Libya (Handled by – Dometic Middle East)

(Handled by - Dometic Middle East)

Maldives

(Handled by – Dometic Middle East)