

PREMIUM GUEST EXPERIENCE

PROFESSIONAL EQUIPMENT FOR HOTELS AND RESTAURANTS



WWW.ECOTECH.RS

Hospitality trays

	SPACE *****	SUPREME *****	SIGNUM *****	SLIM ****	SMART *****
					
Dimensions (W x D x H)	315 x 415 x 78mm	460 x 370 x 40mm	365 x 240 x 40mm	258 x 258 x 40mm	265 x 190 x 84mm
Material	PU Leather	MDF	MDF / solid beech	MDF	Beech veneer
Available colours	Black	Black brown	Black brown, white or natural	Black brown	Black brown
Ultra-compact design				✓	✓
Integrated kettle base		✓	✓	✓	
Space for coffee machine	✓	✓			
Anti-theft cable fixture		✓	✓	✓	
Wire guidance	✓				✓
A5 leaflet holder (optional)		✓	✓		
Drip tray for used tea bags					
Bespoke possibilities (prices on request)	MOQ 300 pieces	MOQ 200 pieces	MOQ 200 pieces	MOQ 200 pieces	MOQ 500 pieces
Plant a tree project WeForest					
Product code	SPACE-BL	SUPREME-BB	Black brown: SIGNUM-BB White: SIGNUM-WHI Natural beech: SIGNUM-NAT	SLIM-BB	SMART-BB
MP CENA	10.669 RSD	9.699 RSD	7.759 RSD	6.789 RSD	6.789 RSD

Hospitality trays

	SIESTA ****	SNAP ***	STAY ***	SQUARE ***	SENSE ***
					
Dimensions (W x D x H)	432 x 362 x 40mm	Setup 1: 417 x 320 x 55mm Setup 2: 320 x 320 x 63mm	356 x 240 x 38mm	258 x 258 x 38mm	455 x 228 x 38mm
Material	ABS plastic	PU leather	ABS plastic with wood structure	ABS plastic with wood structure	ABS plastic with wood structure
Available colours	Black	Black	Black	Black	Black
Ultra-compact design		Setup 2 is ultra-compact		✓	✓
Integrated kettle base	✓		✓	✓	✓
Space for coffee machine	✓	✓			
Anti-theft cable fixture	✓		✓	✓	✓
Wire guidance					
A5 leaflet holder (optional)	✓		✓		
Drip tray for used tea bags	✓		✓	✓	✓
Bespoke possibilities (prices on request)		MOQ 300 pieces			
Product code	SIESTA-BL	SNAP-BL	STAY-BL	SQUARE-BL	SENSE-BL
MP CENA	6.789 RSD	5.626 RSD	4.268 RSD	3.880 RSD	3.880 RSD

Electric water kettles

	STAR	STAR-BLACK	STYLE
			
Capacity and power	0.5 litre and 1000W	0.5 litre and 1000W	1 litre and 1500W
Voltage	220~240V	220~240V	220~240V
Indicator light	✓	✓	✓
Auto shut-off and boil dry protection	✓	✓	✓
Genuine British STRIX controller	✓	✓	✓
Concealed heating element	✓	✓	✓
Removable anti-lime filter	✓	✓	✓
Cable length	75cm	75cm	75cm
Type of plug	Euro or UK	Euro or UK	Euro or UK
Minimum order quantity	-	-	-
Product code	Euro plug: STAR-EUR UK plug: STAR-UK	Euro plug: STAR-BL-EUR UK plug: STAR-BL-UK	Euro plug: STYLE-EUR UK plug: STYLE-UK
MP CENA	6.595 RSD	6.983 RSD	6.595 RSD

CH-FIX adapter for water kettle	✓	✓	✓
Product code	FI XADAPT	FI XADAPT	FI XADAPT
MP CENA	1.164 RSD	1.164 RSD	1.164 RSD

Hotel porcelain cups						
	SPRING - white	SPRING - black	STARQ - white	STARQ - black	STARQ - red	STARQ - other colours
						
Capacity	20cl	20cl	20cl	20cl	20cl	20cl
Dimensions	Height: 73mm Diameter opening: 80mm Diameter: 80mm	Height: 73mm Diameter opening: 80mm Diameter: 80mm	Height: 75mm Diameter opening: 78mm Diameter: 78mm	Height: 75mm Diameter opening: 78mm Diameter: 78mm	Height: 75mm Diameter opening: 78mm Diameter: 78mm	Height: 75mm Diameter opening: 78mm Diameter bottom: 63mm
Available colours	White	Black	White	Black	Red	9 different colours
Brand	B-TRAY	B-TRAY	Walküre	Walküre	Walküre	Walküre
Minimum order quantity	-	-	Sold per full box of 6	Sold per full box of 6	Sold per full box of 6	96 pcs
Product code	SPRING-WHI	SPRING-BL	PORS-WHI	PORS-BL	PORS-RED	PORS-OTHER
MP CENA	666 RSD	759 RSD	843 RSD	1.181 RSD	1.181 RSD	1.181 RSD

Coffee machines		
START		
		
Product information	Coffee machine, glossy black, compatible with Nespresso® style capsules, cable length 100cm, W93 x D342 x H210mm	
Minimum order quantity	-	
Product code	Euro plug: START-BL-EUR	
MP CENA	19.205 RSD	
CH-FIX adapter for coffee machine		
Product code	FI XADAPT	
MP CENA	1.164 RSD	

Supplements for hospitality trays					
	SHOW	SHINE	Inlay for SPACE	SNAP – main tray	SNAP – condiment box
					
Product information	A5 leaflet holder, suitable for the B-TRAY SUPREME, SIGNUM, SIESTA and STAY	Tea/coffee spoon, made of stainless steel, sleek design	Foam inlay for SPACE tray, 4 inserts for original Nespresso® capsules	SNAP main tray, ultra-compact, size 32 x 32cm, black PU leather	Condiment box, can be snapped in place on both the left/right side of the SNAP main tray, black PU leather
Minimum order	-	-	-	-	-
quantity Product code	SHOW	SHINE	I NLAY	SNAP-BL-MAIN	SNAP-BL-COND
MP CENA	1.067 RSD	378 RSD	873 RSD	2.522 RSD	3.104 RSD

Luggage racks – Including **nylon** straps

	SAMBA	SIXX	STAND	STAND+	STAND-STEEL
					
Material	Rubberwood	Steel	Solid beech	Solid beech	Stainless steel
Frame colours	 Black	 Matt black	 Wenge, walnut, natural beech or white	 Wenge, walnut, natural beech or white	 Stainless steel with brushed chrome finish
Nylon straps (included in price)	 Black	 Black or grey	 Black or grey	 Black or grey	 Black or grey
Straps already attached					
Wall protector					
Dimensions open (W x D x H)	500 x 430 x 480mm	530x 370 x 530mm	575x 390 x 465mm	575 x 450 x 560mm	575x 390 x 465mm
Dimensions folded (W x D x H)	500 x 43 x 630mm	530 x 70 x 620mm	575 x 55 x 590mm	575 x 55 x 700mm	575 x 55 x 590mm
Plant a tree project WeForest					
Minimum order quantity	-	-			-
Product code	SAMBA-BL	SIXX-BL			STAND-STEEL
MP CENA	11.445 RSD	11.445 RSD	13.326 RSD	15.013 RSD	17.265 RSD

Luggage racks – Including genuine leather straps				
	SIXX	STAND	STAND+	STAND-STEEL
				
Material	Steel	Solid beech	Solid beech	Stainless steel
Frame colours	 Matt black	 Wenge, walnut, natural beech or white	 Wenge, walnut, natural beech or white	 Stainless steel with brushed chrome finish
Leather straps (included in price)	 Black, grey, cognac or white	 Black, grey, cognac or white	 Black, grey, cognac or white	 Black, grey, cognac or white
Wall protector				
Dimensions open (W x D x H)	530x 370 x 530mm	575x 390 x 465mm	575 x 450 x 560mm	575x 390 x 465mm
Dimensions folded (W x D x H)	530 x 70 x 620mm	575 x 55 x 590mm	575 x 55 x 700mm	575 x 55 x 590mm
Plant a tree project WeForest				
Minimum order quantity	-	-	-	-
Product code	SIXX-BL	Wenge-black: STAND-WEN Walnut: STAND-WAL Natural beech: STAND-NAT White: STAND-WHI	Wenge-black: STAND+WEN Walnut: STAND+WAL Natural beech: STAND+NAT White: STAND+WHI	STAND-STEEL
MP CENA	14.355 RSD	15.856 RSD	17.543 RSD	20.174 RSD

Metalni kofernik Milenium



MP CENA: 5490 RSD

Ironing products							
	SMOOTH - steam	SMOOTH - dry	Steam iron	Dry iron	Ironing board	Board cover	Iron organizer
							
Product information	Ironing centre complete set with: ironing board iron organizer steam iron	Ironing centre complete set with: ironing board iron organizer dry iron	Steam iron of 1600W, auto shut-off feature, adjustable thermostat overheating safety protection, ultra-long cable of 3m	Dry iron of 1000W, auto shut-off feature, adjustable thermostat, overheating safety protection, ultra-long cable of 3m	Ultra-compact ironing board, light weight, excellent portability Without organizer and iron	Fire-retardant elastic cover for the ironing SMOOTH ironing board, quick and easy to replace	Iron holder, specially designed for the SMOOTH board, easy to attach with 2 butterfly screws, 360° rotating, durable steel (2 sizes available, for the steam iron and the dry iron)
Type of plug	Euro or UK	Euro	Euro or UK	Euro	N/A	N/A	N/A
Colours	Black frame, anthracite cover, black iron	Black frame, anthracite cover, black iron	Black	Black	Black frame with anthracite cover	Anthracite	Black
Minimum order qnt							
Product code	Euro plug: SMO-SET-EUR UK plug: SMO-SET-UK	Euro plug: SMO-D-SET-EUR	Euro plug: SMO-IRON-EUR UK plug: SMO-IRON-UK	Euro plug: SMO-D-IRON-EUR	SMO-BOARD	SMO-COVER	dry iron: SMO-HOLDER-D steam iron: SMO-HOLDER-S
MP CENA	19.205 RSD	18.235 RSD	6.789 RSD	5.820 RSD	9.699 RSD	1.746 RSD	5.820 RSD
CH-FIX adapter for iron	✓	✓	✓	✓			
Product code	FI XADAPT	FI XADAPT	FI XADAPT	FI XADAPT			
MP CENA	1.164 RSD	1.164 RSD	1.164 RSD	1.164 RSD			

Bathroom scales

	SCALA - black	SCALA - white	SCALE - black	SCALE - white	Hook for SCALE
					
			Discontinued model While stock lasts	Discontinued model While stock lasts	Discontinued model While stock lasts
Product information	Luxury bathroom scale, Push Power Technology, no batteries needed, green choice	Luxury bathroom scale, Push Power Technology, no batteries needed, green choice	Luxury bathroom scale, 4 batteries included	Luxury bathroom scale, batteries included	Optional hook to hang the 4 SCALE on the bathroom wall, fixing material included
Dimensions (W x D x H)	32 x 26 x 3cm	32 x 26 x 3cm	32 x 32 x 2.2cm	32 x 32 x 2.2cm	5 x 5 x 3.5cm
Available colours	Black	White	Black	White	Brushed stainless steel
Material	Tempered glass	Tempered glass	Tempered glass	Tempered glass	Stainless steel
Minimum order quantity	-	-	-	-	-
Product code	SCALA-BL	SCALA-WHI	SCALE-BL	SCALE-WHI	HOOK-SS
MP CENA	5.626 RSD	5.626 RSD	4.850 RSD	4.850 RSD	970 RSD

Mod. 561.17

EXCEL 1600 PUSH

HAIRDRYER WITH ON/OFF PUSH BUTTON

1600 W

- Ripple wire SECURITY heating element
- On/Off push button
- 6 air flow/temperature combinations incl. COOL air setting
- Removable filter
- Concentrator nozzle
- Spiral cable

MP: 7743 RSD



Mod. 561.19 TF

EXCEL 1800 TF

THE ULTRA-LIGHT HAIRDRYER
WITH WALL HOLDER **1800 W**

- With wall holder mod. 034
- Security thermal cutoff
- Ripple wire SECURITY heating element
- 6 air flow/temperature combinations
- COOL air button
- Concentrator nozzle
- Removable filter
- Weight without cable 354 g

MP: 7647 RSD



Mod. 554.02/038A


EXECUTIVE 1200 SUPER

WALL-MOUNTED HAIRDRYER WITH HOLDER

1200 W

- Ripple wire SECURITY heating element
- Slide switch: 2 temperature/air flow settings
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch

MP: 7647 RSD



Mod. 533.05/038A

PREMIUM 1600 SUPER

WALL-MOUNTED HAIRDRYER WITH HOLDER

1600 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch

MP: 9780 RSD



Mod. 542.14/038A

ACTION SUPER PLUS 1800 WHITE

WALL-MOUNTED HAIRDRYER WITH HOLDER

1800 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch

MP: 11394 RSD



Mod. 542.14/038A

ACTION SUPER PLUS 1800 BLACK

WALL-MOUNTED HAIRDRYER WITH HOLDER

1800 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch

MP: 11394 RSD



Mod. 542.14/038A all black


ACTION SUPER PLUS 1800 ALL BLACK

WALL-MOUNTED HAIRDRYER WITH HOLDER

1800 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch

MP: 10356 RSD



Mod. 533.05/032.05


PREMIUM SMART 1600 SHAVER

WALL-MOUNTED HAIRDRYER WITH HOLDER AND SHAVER SOCKET

1600 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer

MP: 14775 RSD



Mod. 542.06/032.05

ACTION SUPER PLUS 1600 SHAVER

WALL-MOUNTED HAIRDRYER WITH
HOLDER AND SHAVER SOCKET

1600 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer

MP: 15486 RSD



Mod. 542.06/044.05 Black

ACTION SUPER PLUS 1600 SHAVER BLACK

WALL-MOUNTED HAIRDRYER WITH
HOLDER AND SHAVER SOCKET

1600 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with automatic On/Off
- safety switch Shaver socket 110-120V
- and 220-240V
- Safety isolating transformer

MP: 15486 RSD



Mod. 542.06/032.05 Silver

ACTION SUPER PLUS 1600 SHAVER SILVER

WALL-MOUNTED HAIRDRYER WITH
HOLDER AND SHAVER SOCKET

1600 W

- Ripple wire SECURITY heating element
- Slide switch: 2 air flow settings, 3 air temperature settings
- COOL air setting
- On/Off push button
- Concentrator nozzle
- Wall holder with On/Off safety switch
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer

MP: 17792 RSD



Mod. 561.17/032.05

EXCEL 1600 SHAVER

WALL-MOUNTED HAIRDRYER WITH
SHAVER SOCKET

1600 W

- Ripple wire SECURITY heating element
- Air flow control switch: 2 settings
- Air temperature control switch: 3 settings
- combinations COOL air setting
- Removable filter
- On/Off push button
- Wall holder with On/Off safety switch
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer

MP: 16178 RSD



Mod. 561.17/032.05 Black

EXCEL 1600 SHAVER BLACK

WALL-MOUNTED HAIRDRYER WITH
SHAVER SOCKET

1600 W

- Ripple wire SECURITY heating element
- Air flow control switch: 2 settings
- Air temperature control switch: 3 settings
- 6 air flow/ temperature combinations
- COOL air setting
- Removable filter
- On/Off push button
- Wall holder with On/Off safety switch
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer



MP: 16178 RSD

Mod. 561.17/032.05 Silver

EXCEL 1600 SHAVER SILVER

WALL-MOUNTED HAIRDRYER WITH
SHAVER SOCKET

1600 W

- Ripple wire SECURITY heating element
- Air flow control switch: 2 settings
- Air temperature control switch: 3 settings
- 6 air flow/ temperature combinations
- COOL air setting
- Removable filter
- On/Off push button
- Wall holder with On/Off safety switch
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer



MP: 18330 RSD



Mod. 832.01/T


HOTELLO

COMPACT AND POWERFUL WALL-MOUNTED
HAIRDRYER WITH HOSE

1200 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (softwire)
- Fixation screws and screw anchors included
- Protection class: IP34
- Ripple wire SECURITY heating element

MP: 19560 RSD



Mod. 832.01/T matt-black

HOTELLO MATT-BLACK

COMPACT AND POWERFUL WALL-MOUNTED
HAIRDRYER WITH HOSE

1200 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (softwire)
- Fixation screws and screw anchors included
- Protection class: IP34
- Ripple wire SECURITY heating element

MP: 23210 RSD



832.01/T silver

HOTELLO SILVER

COMPACT AND POWERFUL WALL-MOUNTED
HAIRDRYER WITH HOSE

1200 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (softwire)
- Fixation screws and screw anchors included
- Protection class: IP34
- Ripple wire SECURITY heating element

MP: 21366 RSD



832.01/RT



HOTELLO SHAVER

COMPACT AND POWERFUL WALL-MOUNTED
HAIRDRYER WITH HOSE AND SHAVER
SOCKET

1200 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (softwire)
- Fixation screws and screw anchors included
- Protection class: IP34
- Ripple wire SECURITY heating element

MP: 23133 RSD



832.01/RT matt-black

HOTELLO SHAVER MATT-BLACK



COMPACT AND POWERFUL WALL-MOUNTED
HAIRDRYER WITH HOSE AND SHAVER
SOCKET

1200 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Shaver socket 110-120V and 220-240V
- Safety isolating transformer
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (softwire)
- Fixation screws and screw anchors included
- Protection class: IP34
- Ripple wire SECURITY heating element



MP: 26515 RSD



Fenovi Spa/Wellness/Fitness - srednje opterećenje

Mod. 832.02/T

HOTELLO SUPER AC

COMPACT AND SUPER POWERFUL WALL-MOUNTED
HAIRDRYER WITH HOSE

1400 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- EXTRA LONG-LIFE AC Universal Motor
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (software)
- Fixation screws and screw anchors included Protection
- class: IP34
- Ripple wire SECURITY heating element

MP: 21357 RSD



Mod. 832.02/T matt-black

HOTELLO SUPER AC MATT-BLACK

COMPACT AND SUPER POWERFUL WALL-MOUNTED
HAIRDRYER WITH HOSE

1400 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- EXTRA LONG-LIFE AC Universal Motor
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (software)
- Fixation screws and screw anchors included Protection
- class: IP34
- Ripple wire SECURITY heating element

MP: 25016 RSD



Mod. SXJ 8500 P

SWISS SILENT JET 8500 PUSH


THE ULTRA-SILENT, HIGH PERFORMANCE
PROFESSIONAL HAIRDRYER

2000 W

- LONG-LIFE AC Universal Motor
- Smart Airflow Technology
- Ripple wire SECURITY heating
- element 6 air flow/temperature
- settings
- On/Off push button
- Removable metallic filter
- TOUCH ME cool nozzle (7,5 cm)

Spiral cable

MP: 15121 RSD



UNIVERSAL WALL HOLDER FOR HAIRDRYERS

MOD. 040

MOD. 034



MP: 1787 RSD

MP: 1441 RSD

HAIRDRYER POUCH 300 X 400 MM

MOD. B01



MP: 1076 RSD

Fenovi Spa/Wellness/Fitness - veliko opterećenje

Mod. 832.11/T

HOTELLO BLDC


EXTREMELY DURABLE, COMPACT AND ULTRA-POWERFUL WALL-MOUNTED HAIRDRYER WITH HOSE

1500 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- Durable “Heavy Duty” ENDURO Brushless BLDC motor
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (software)
- Fixation screws and screw anchors included
- Protection class: IP34
- Ripple wire SECURITY heating element



MP: 35603 RSD



Mod. 832.11/T matt-black

HOTELLO BLDC MATT-BLACK

EXTREMELY DURABLE, COMPACT AND ULTRA-POWERFUL WALL-MOUNTED HAIRDRYER WITH HOSE

1500 W

- Super compact (147 x 238 mm) – fits everywhere
- Powerful airflow thanks to a re-designed aeration module
- Durable “Heavy Duty” ENDURO Brushless BLDC motor
- Automatic switching on when removing the handgrip from holder
- 8 mins automatic safety timer
- “Cool touch” swivel handgrip
- Extensible hose (up to m 1,20)
- Easy wall-mounting without opening
- 2 possibilities of electrical wiring: direct connection to electrical mains (hardwire), connection with plug (software)
- Fixation screws and screw anchors included
- Protection class: IP34
- Ripple wire SECURITY heating element



MP: 39177 RSD



Mod. 207.00

OPTIMA BAR

BAR MOUNTED, DOUBLE SIDED MAGNIFYING MIRROR

- Plain mirror + 3x magnifying
- mirror Arm length 220 mm
- Bar length 155 mm
- Bar and full pivotal
- adjustment Material: steel
- Finishing: chrome
- Mirror: Ø 229 mm

MP: 8528 RSD



Mod. 207.01

OPTIMA CLASSIC

WALL MOUNTED, DOUBLE SIDED TWIN ARM MAGNIFYING MIRROR

- Plain mirror + 4x magnifying mirror
- Twin arm: extended length 330 mm
- Full pivotal adjustment
- Material: brass
- Finishing: chrome
- Mirror: Ø 200 mm

MP: 13649 RSD



Mod. 207.05

OPTIMA LIGHT ONE

WALL MOUNTED, LED LIGHTED MAGNIFYING MIRROR

- LED lighting 100-240 V
- 50-60 Hz On/Off switch
- 3x magnifying mirror
- Arm length 180 mm
- Full pivotal adjustment
- Material: brass
- Finishing: chrome
- Mirror: Ø 216 mm
- Hard wire application
- Degree of protection: IP 44

MP: 35845 RSD



Mod. 207.09

OPTIMA LIGHT SMART

WALL-MOUNTED MAGNIFYING MIRROR WITH AUTOMATIC LED LIGHTING

- Automatic light activation through proximity sensor
- LED lighting 100-240 V, 50-60 Hz
- 3x magnifying mirror
- Arm length 180 mm
- Full pivotal adjustment
- Material: brass
- Finishing: chrome
- Mirror: Ø 216 mm
- Hard wire application
- Degree of protection: IP 44

MP: 39235 RSD



Mod. Da incasso o libera installazione TP20N

A encastrer ou à pose libre
Built-in or free standing




TOTALMENTE SILENZIOSO
TOILEMENT SILENCIEUX
COMPLETELY SILENT




MP: 29900 RSD

Mod. Da incasso o libera installazione TP40N

A encastrer ou à pose libre
Built-in or free standing



TOTALMENTE SILENZIOSO
TOILEMENT SILENCIEUX
COMPLETELY SILENT



MP: 34420 RSD

Caratteristiche Tecniche:

Modello	TP20N	Consumo energetico	0,275 kWh/24h
Colore	Nero		- 100
Tipo installazione	Incasso o libera	Classe di efficienza	kWh/anno
Volume interno lordo	19 lt.	energetica	
Dim. esterne H x L x P	448 x 402 x 351	Certificazioni	A+
Peso netto	mm 10 Kg	Livello di rumorosità	CE / RoHS
Alimentazione	220-240 V / 50 Hz		0 dB (A)
Potenza max. assorbita	60 Watt		

Dotazione di Serie

Termostato elettronico
Sbrinatorio automatico
1 ripiano trasparente
regolabile Luce interna a LED
Porta reversibile
Gancio traino porta

Caractéristiques Techniques:

Modèle TP20N	Consommation énergétique	0,275 kWh/24h - 100 kWh/an
Couleur Noir		
Type d'installation A encastrer ou pose libre	Classe d'efficacité	
Volume intérieur brut 19 lt.	énergétique	A+
Dimensions ext. H x L x P 448 x 402 x 351 mm	Certifications	CE / RoHS
Poids net 10 Kg	Niveau de bruit	0 dB (A)
Alimentation électrique 220-240 V / 50 Hz		
Puissance absorbée max. 60 Watt		

Equipement Standard

Thermostat électronique
Dégivrage automatique
1 clayette transparent
réglable Eclairage intérieur à LED
Porte réversible
Crochet d'entraînement

Technical data:

Model	TP20N	Energy consumption	0,275 kWh/24h
Colour	Black		- 100 kWh/year
Installation type	Built-in/free standing	Energy efficiency class	A+
Gross internal volume	19 lt.	Certifications	CE / RoHS
External dim. H x W x D	448 x 402 x 351 mm	Noise level	0 dB (A)
Net weight	10 Kg		
Power supply	220-240 V / 50 Hz		
Max. absorbed power	60 Watt		

Standard Equipment

Electronic thermostat
Automatic defrost
1 adjustable transparent
shelf Internal LED light
Reversible door
Sliding hinge fixture

Caratteristiche Tecniche:

Modello	TP40N	Consumo energetico	0,26 kWh/24h
Colore	Nero		- 96 kWh/anno
Tipo installazione	Incasso o libera	Classe di efficienza	
Volume interno lordo	32 lt.	energetica	A+
Dim. esterne H x L x P	545 x 405 x 443	Certificazioni	CE / RoHS
Peso netto	mm 13,5 Kg	Livello di rumorosità	0 dB (A)
Alimentazione	220-240 V / 50-60		
Potenza max. assorbita	Hz 65 Watt		

Dotazione di Serie

Termostato elettronico
Sbrinatorio automatico
Vano portabottiglie da 1,5 lt. sulla
porta 2 ripiani trasparenti regolabili
Luce interna a LED
Porta reversibile
Gancio traino porta

Caractéristiques Techniques:

Modèle TP40N	Consommation énergétique	0,26 kWh/24h - 96 kWh/an
Couleur Noir		
Type d'installation A encastrer ou pose libre	Classe d'efficacité	
Volume intérieur brut 32 lt.	énergétique	A+
Dimensions ext. H x L x P 545 x 405 x 443 mm	Certifications	CE / RoHS
Poids net 13,5 Kg	Niveau de bruit	0 dB (A)
Alimentation électrique 220-240 V / 50-60 Hz		
Puissance absorbée max. 65 Watt		

Equipement Standard

Thermostat électronique
Dégivrage automatique
Espace pour bouteille de 1,5 litres
2 clayettes transparentes
réglables Eclairage intérieur à LED
Porte réversible
Crochet d'entraînement

Technical data:

Model	TP40N	Energy consumption	0,26 kWh/24h
Colour	Black		- 96 kWh/year
Installation type	Built-in/free standing	Energy efficiency class	A+
Gross internal volume	32 lt.	Certifications	CE / RoHS
External dim. H x W x D	545 x 405 x 443 mm	Noise level	0 dB (A)
Net weight	13,5 Kg		
Power supply	220-240 V / 50-60		
Max. absorbed power	Hz 65 Watt		

Standard Equipment

Electronic thermostat
Automatic defrost
1,5 lt. bottle holder on door
2 adjustable transparent
shelves Internal LED light
Reversible door
Sliding hinge fixture


Mod. HP27LGN

Da incasso o libera installazione con sistema di controllo intelligente

A encastrer ou à pose libre avec système de contrôle intelligent
Built-in or free standing with intelligent control system



TOTALMENTE SILENZIOSO
TOTALEMENT SILENCIEUX
COMPLETELY SILENT



MP: CENA NA UPIT

• Tre livelli di temperatura interna selezionabili per ottenere un raffreddamento ottimale.

• La température intérieure est réglable par un système à 3 positions pour obtenir un refroidissement optimal.

• Three levels of internal temperature to obtain the optimal cooling.

Caratteristiche Tecniche:

Modello	HP27LGN	Consumo energetico	0,51 kWh/24h
Colore	Nero (PVC)		- 186
Tipo installazione	Incasso o libera	Classe di efficienza energetica	kWh/anno
Volume interno lordo	25 lt.	Certificazioni	B
Dim. esterne H x L x P	512 x 384 x 397 mm	Livello di rumorosità	CE / RoHS
Peso netto	12 Kg		0 dB (A)
Alimentazione	100 V-240 V / 50-60		
Potenza max. assorbita	Hz 60 Watt		

Dotazione di Serie

Termostato elettronico
Sbrinamento automatico
2 ripiani regolabili
Luce interna a LED
Porta reversibile

Caractéristiques Techniques:

Modèle HP27LGN	Consommation énergétique 0,51 kWh/24h -
Couleur Noir (PVC)	186 kWh/an
Type d'installation A encaster ou pose libre Volume intérieur brut 25 lt.	Classe d'efficacité énergétique B
Dimensions ext. H x L x P 512 x 384 x 397 mm	Certifications CE / RoHS
Poids net 12 Kg	Niveau de bruit 0 dB (A)
Alimentation électrique 100 V-240 V / 50-60 Hz	
Puissance absorbée max. 60 Watt	

Equipement Standard

Thermostat électronique
Dégivrage automatique
2 clayettes réglables
Éclairage intérieur à LED
Porte réversible

Technical data:

Model	HP27LGN	Energy consumption	0,51 kWh/24h
Colour	Black (PVC) Built-in/free standing		- 186
Installation type	in/free standing 25 lt.	Energy efficiency class	kWh/year
Gross internal volume	512 x 384 x 397 mm	Certifications	B
External dim. H x W x D	12 Kg	Noise level	CE / RoHS
Net weight	100 V-240 V / 50-60		0 dB (A)
Power supply	Hz 60 Watt		
Max. absorbed power			

Standard Equipment

Electronic thermostat
Automatic defrost
2 adjustable shelves
Internal LED light
Reversible door

Mod. HP40LGN

Da incasso o libera installazione con sistema di controllo intelligente

A encastrer ou à pose libre avec système de contrôle intelligent
Built-in or free standing with intelligent control system



TOTALMENTE SILENZIOSO
TOTALEMENT SILENCIEUX
COMPLETELY SILENT



MP: CENA NA UPIT

• Tre livelli di temperatura interna selezionabili per ottenere un raffreddamento ottimale.

• La température intérieure est réglable par un système à 3 positions pour obtenir un refroidissement optimal.

• Three levels of internal temperature to obtain the optimal cooling.

Caratteristiche Tecniche:

Modello	HP40LGN	Consumo energetico	0,61 kWh/24h
Colore	Nero (PVC)		- 224
Tipo installazione	Incasso o libera	Classe di efficienza energetica	kWh/anno
Volume interno lordo	44 lt.	Certificazioni	C
Dim. esterne H x L x P	566 x 441 x 432 mm	Livello di rumorosità	CE / RoHS
Peso netto	15,5 Kg		0 dB (A)
Alimentazione	100 V-240 V / 50-60		
Potenza max. assorbita	Hz 60 Watt		

Dotazione di Serie

Termostato elettronico
Sbrinamento automatico
2 ripiani trasparenti regolabili
Luce interna a LED
Porta reversibile

Caractéristiques Techniques:

Modèle HP40LGN	Consommation énergétique 0,61 kWh/24h -
Couleur Noir (PVC)	224 kWh/an
Type d'installation A encaster ou pose libre Volume intérieur brut 44 lt.	Classe d'efficacité énergétique C
Dimensions ext. H x L x P 566 x 441 x 432 mm	Certifications CE / RoHS
Poids net 15,5 Kg	Niveau de bruit 0 dB (A)
Alimentation électrique 100 V-240 V / 50-60 Hz	
Puissance absorbée max. 60 Watt	

Equipement Standard

Thermostat électronique
Dégivrage automatique
2 clayettes transparentes
Éclairage intérieur à LED
Porte réversible

Technical data:

Model	HP40LGN	Energy consumption	0,61 kWh/24h
Colour	Black (PVC) Built-in/free standing		- 224
Installation type	in/free standing 44 lt.	Energy efficiency class	kWh/year
Gross internal volume	566 x 441 x 432 mm	Certifications	C
External dim. H x W x D	15,5 Kg	Noise level	CE / RoHS
Net weight	100 V-240 V / 50-60		0 dB (A)
Power supply	Hz 60 Watt		
Max. absorbed power			

Standard Equipment

Electronic thermostat
Automatic defrost
2 adjustable transparent shelves
Internal LED light
Reversible door

Mod. Minibar a cassetto estraibile

TD40N

Minibar avec tiroir extractible
Drawer minibar

24 dB



MP: CENA NA UPIT



Caratteristiche Tecniche:

Modello	TD40N	Consumo energetico	0,316 kWh/24h - 115 kWh/anno
Colore	Nero	Classe di efficienza energetica	A+ (con 2 ventole)
Tipo installazione	Incasso	Certificazioni	CE / RoHS
Volume interno lordo	38 lt.	Livello di rumorosità	24 dB (A)
Dim. esterne H x L x P	412 x 495 x 455		
Peso netto	mm 14 Kg		
Alimentazione	220-240 V / 50 Hz		
Potenza max. assorbita	65 Watt		

Dotazione di Serie

Termostato elettronico
Sbrinatorio automatico
Scomparti interni regolabili
Luce interna a LED
Vaschetta per contenere snack



Caractéristiques Techniques:

Modèle	TD40N	Consommation énergétique	0,316 kWh/24h - 115 kWh/an
Couleur	Noir	Classe d'efficacité énergétique	A+ (avec 2 ventilateurs)
Type d'installation	A encastrer	Certifications	CE / RoHS
Volume intérieur brut	38 lt.	Niveau de bruit	24 dB (A)
Dimensions ext. H x L x P	412 x 495 x 455 mm		
Poids net	14 Kg		
Alimentation électrique	220-240 V / 50 Hz		
Puissance absorbée max.	65 Watt		

Equipelement Standard

Thermostat électronique
Dégivrage automatique
Compartiments intérieurs réglables
Éclairage intérieur à LED
Plateau pour contenir les snacks



Technical data:

Model	TD40N	Energy consumption	0,316 kWh/24h - 115 kWh/year
Colour	Black	Energy efficiency class	A+ (with 2 fans)
Installation type	Built-in	Certifications	CE / RoHS
Gross internal volume	38 lt.	Noise level	24 dB (A)
External dim. H x W x D	412 x 495 x 455		
Net weight	mm 14 Kg		
Power supply	220-240 V / 50 Hz		
Max. absorbed power	65 Watt		

Standard Equipment

Electronic thermostat
Automatic defrost
Adjustable inner compartments
Internal LED light
Tray to hold snacks

Examples of correct termoelectric Minibar installations









Nelle installazioni ad incasso è fondamentale creare le giuste prese d'aria per fare in modo che il calore prodotto venga facilmente smaltito. Gli schemi riportano alcuni esempi di corrette installazioni.



Pour les installations à encastrer, il est fondamental d'assurer une circulation d'air pour que la chaleur produite puisse s'évacuer. Les schémas donnent quelques exemples d'installations correctes.



In built-in installation have to create the right air taken to ensure that the heat produced is easily disposed of. The pictures show some examples of correct installations.





A sustainable minibar is a smart minibar. The new Dometic HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. Add to that the first chromate-free absorption inhibitor on the market and sustainability is an easy choice. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.



N40G



Shelves
Tempered glass with decorative trim



Celebrating menu illumination
Ambient LED lights top + bottom



Door-racks and balconies
Door-rack 1,5 L bottles with tempered glass and decorative trim

					
HIPRO LINE TECHNICAL DATA					
MODEL	EVOLUTION N30G	EVOLUTION A30G	EVOLUTION N40G	EVOLUTION A40G	EVOLUTION C40G
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption	Compressor
Model class (liter)	30	30	40	40	40
Storage volume (liter)	26	26	33	33	33
Door type	Transparent glass door	Transparent glass door	Transparent glass door	Transparent glass door	Transparent glass door
Product dimensions (H x W x D, mm)	52 0/3 8 4/415	52 0/3 8 4/4 6	550/405/435	550/405/466	550/405/481
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Sliding hinge kit	No	No	No	No	No
Variable door hinge	Yes	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	60-70	55	60-70	45
Energy consumption (kWh/24 h)	0.426	0.704	0.435	0.727	0.154
Noise level (dB(A))	0	0	0	0	33
Energy class	G	G	G	G	D
Features	• Noiseless • Low energy consumption • Ambient illumination • 1 x door rack with decorative trim • 1 x tempered glass shelf • 1 x tempered glass shelf • Adjustable shelf • Aluminium handle • Decorative panel on evaporator Key lock	• Noiseless • Ambient illumination • 1 x door rack with decorative trim • 1 x tempered glass shelf • Aluminium handle • Adjustable shelf • Decorative panel on evaporator • Long lasting technology Key lock	• Noiseless • Low energy consumption • Ambient illumination • 2 x door rack with decorative trim • 2 x tempered glass shelf • 2 x tempered glass shelf • Adjustable shelf • Aluminium handle • Decorative panel on evaporator Key lock	• Noiseless • Ambient illumination • 2 x door rack with decorative trim • 2 x tempered glass shelf • Aluminium handle • Adjustable shelf • Decorative panel on evaporator • Long lasting technology Key lock	• High performance • Lowest energy consumption • Integrated silent mode • 2 x door rack • 2 x tempered glass shelf • Aluminium handle • Adjustable shelf • Decorative panel on evaporator Key lock
Options					Key lock



EVOLUTION N30G



EVOLUTION A30G



EVOLUTION N40G



EVOLUTION A40G



EVOLUTION C40G

TSM/1H

Combinazione elettronica digitale motorizzata con display a LED
 Combinaison électronique digitale motorisée avec écran à LED
 Motorized electronic combination with visual LED display

LED Display
 +Audit

**MP: CENA NA UPIT**

Caratteristiche:

- Spessore porta: 4 mm.
- Spessore corpo: 1,2 mm.
- Serratura motorizzata controllata da un congegno elettronico ad alta affidabilità.
- Codice Cliente programmabile da 4 a 6 cifre. Segnalazione di tutte le funzioni mediante display a LED a 6 posizioni con alto contrasto cromatico.
- Possibilità di programmare il codice Master ad uso esclusivo dell'Albergatore.
- Serratura a chiave per apertura di emergenza (identica per tutte le casseforti dello stesso hotel).
- Visualizzazione a display degli ultimi 100 eventi (apertura, chiusura).
- Funzionamento con 4 batterie alcaline da 1,5 V.
- Tappetino sulla base.
- Fori di ancoraggio sullo schienale e sulla base (2+2).
- Tasselli per fissaggio in dotazione.
- Verniciatura a polvere termoisolante colore nero.

Caractéristiques:

- Epaisseur porte: 4 mm.
- Epaisseur corps: 1,2 mm.
- Serrure motorisée à combinaison digitale contrôlée par un système électronique haute fiabilité.
- Code personnel programmable de 4 à 6 chiffres.
- Signalisation visuelle de toutes les fonctions sur l'écran à LED à 6 positions.
- Possibilité de programmer le code maître à l'usage exclusif de la Direction de l'Hôtel.
- Clé de secours pour ouverture d'urgence (identique pour les coffres d'un même hôtel). Visualisation sur le display des 100 dernières opérations (ouvertures / fermetures). Fonctionne avec 4 piles alcalines de 1.5 volts. Tapis de fond.
- Trous de fixation au dos et à la base (2+2). Chevilles de fixation fournies.
- Peinture époxy en coloris noir.

Features:

- Thickness of door: 4 mm.
- Thickness of body: 1.2 mm.
- Motorized digital combination lock controlled by a high performing electronic system.
- Guest code programmable from 4 to 6 digits.
- All functions are marked by high contrast 6-digit LED display.
- Possibility to program a master code for use by Hotel Management.
- Override key for emergency opening (identical for all safes of the same Hotel).
- Audit trail of last 100 events visible on display (opening / closings).
- Powered by 4 x 1.5V alkaline batteries.
- Internal carpet provided.
- Back and base fixing holes (2+2).
- Screw anchor fixing bolts provided.
- Black colour powder coated finishing.

Art.	Mis. esterne mm. Mis. interne mm. N. Catenacci Dim.				Peso Poids Weight	Vol.
	Alt/H	L/W	P/D	Alt/H L/W P/D Horiz/Vert		
TSM/1H	200	350	200	** 195 345 140 2	7	1

**Aggiungere 15 mm. per la tastiera
 Ajouter 15 mm. pour le clavier / Add 15 mm. for the keyboard

Tablet



- Può essere collocato un tablet.
- Peut accueillir une tablette.
- Can contain a tablet.

TSM/4H

Combinazione elettronica digitale motorizzata con display a LED
 Combinaison électronique digitale motorisée avec écran à LED
 Motorized electronic combination with visual LED display

LED Display
 +Audit

**MP: 17977 RSD**

Caratteristiche:

- Spessore porta: 4 mm.
- Spessore corpo: 1,2 mm.
- Serratura motorizzata controllata da un congegno elettronico ad alta affidabilità.
- Codice Cliente programmabile da 4 a 6 cifre. Segnalazione di tutte le funzioni mediante display a LED a 6 posizioni con alto contrasto cromatico.
- Possibilità di programmare il codice Master ad uso esclusivo dell'Albergatore.
- Serratura a chiave per apertura di emergenza (identica per tutte le casseforti dello stesso hotel).
- Visualizzazione a display degli ultimi 100 eventi (apertura, chiusura).
- Funzionamento con 4 batterie alcaline da 1,5 V.
- Tappetino sulla base.
- Fori di ancoraggio sullo schienale e sulla base (2+4).
- Tasselli per fissaggio in dotazione.
- Verniciatura a polvere termoisolante colore nero.

Caractéristiques:

- Epaisseur porte: 4 mm.
- Epaisseur corps: 1,2 mm.
- Serrure motorisée à combinaison digitale contrôlée par un système électronique haute fiabilité.
- Code personnel programmable de 4 à 6 chiffres.
- Signalisation visuelle de toutes les fonctions sur l'écran à LED à 6 positions.
- Possibilité de programmer le code maître à l'usage exclusif de la Direction de l'Hôtel.
- Clé de secours pour ouverture d'urgence (identique pour les coffres d'un même hôtel). Visualisation sur le display des 100 dernières opérations (ouvertures / fermetures). Fonctionne avec 4 piles alcalines de 1.5 volts. Tapis de fond.
- Trous de fixation au dos et à la base (2+4). Chevilles de fixation fournies.
- Peinture époxy en coloris noir.

Features:

- Thickness of door: 4 mm.
- Thickness of body: 1.2 mm.
- Motorized digital combination lock controlled by a high performing electronic system.
- Guest code programmable from 4 to 6 digits.
- All functions are marked by high contrast 6-digit LED display.
- Possibility to program a master code for use by Hotel Management.
- Override key for emergency opening (identical for all safes of the same Hotel).
- Audit trail of last 100 events visible on display (opening / closings).
- Powered by 4 x 1.5V alkaline batteries.
- Internal carpet provided.
- Back and base fixing holes (2+4).
- Screw anchor fixing bolts provided.
- Black colour powder coated finishing.

Art.	Mis. esterne mm. Mis. interne mm. N. Catenacci Dim.				Peso Poids Weight	Vol.
	Alt/H	L/W	P/D	Alt/H L/W P/D Horiz/Vert		
TSM/4H	200	418	380	** 195 410 320 2	10	2


**Aggiungere 15 mm. per la tastiera
 Ajouter 15 mm. pour le clavier / Add 15 mm. for the keyboard

Laptop 15"



- Può essere collocato un computer portatile 15" (notebook).
- Peut accueillir un ordinateur portable 15" (notebook).
- Can contain a notebook 15".


VSAFE200



Peso netto - Net weight **4 kg.**
Luce interna a LED - Internal LED light
Password master-utente - Master-user password
Colore antracite - Anthracite coloured

MP: CENA NA UPIT


VSAFE2535



Peso netto - Net weight **11 kg.**
Chiusura motorizzata - Motorized lock
Display LED a 6 cifre - 6-digit LED display
Luce interna a LED - Internal LED light
Password master-utente - Master-user password
Colore antracite - Anthracite coloured

MP: CENA NA UPIT


VSAFE2042



Peso netto - Net weight **13 kg.**
Chiusura motorizzata - Motorized lock
Display LED a 6 cifre - 6-digit LED display
Luce interna a LED - Internal LED light
Password master-utente - Master-user password
Colore antracite - Anthracite coloured

MP: 19718 RSD


VSAFE2050



Peso netto - Net weight **15 kg.**
Chiusura motorizzata - Motorized lock
Display LED a 6 cifre - 6-digit LED display
Luce interna a LED - Internal LED light
Password master-utente - Master-user password
Colore antracite - Anthracite coloured

MP: CENA NA UPIT


VSAFE1340 TOP



Peso netto - Net weight **12 kg.**
Display LED a 6 cifre - 6-digit LED display
Luce interna a LED - Internal LED light
Password master-utente - Master-user password
Colore antracite - Anthracite coloured

MP: 20286 RSD

VSAFE1838 TOP



Peso netto - Net weight **13 kg.**
Display LED a 6 cifre - 6-digit LED display
Luce interna a LED - Internal LED light
Password master-utente - Master-user password
Colore antracite - Anthracite coloured

MP: CENA NA UPIT


I 46 I

ACCESSORIES ACCESSORI

SAFES CASSEFORTI



390 HE



Peso netto - Net weight **8 kg.**
Chiusura elettronica - Electronic lock
Colore antracite - Anthracite coloured

MP: CENA NA UPIT



Sistemi pranja i higijenskog sušenja ruku

dyson airblade wash+dry



Beskontaktno pranje i sušenje ruku.

Sušenje bez otpada.

Bez stvaranje gužve u toaletu.

HEPA filter zadržava 99,95% čestica iz vazduha, kao i viruse i bakterije.

Smanjenje operativnog troška sušenja ruku za 98% u odnosu na papirne ubruse.

1.000 sušenja ruku < 20 din.

Brza amortizacija.

Ultra brzo sušenje ruku – 14 sek.

dyson airblade 9kJ

Najštedljiviji sušač za ruke koji koristi 9,1 kilo džula energije po ciklusu sušenja uz cenu sušenja ruku od samo 19 € godišnje u ECO načinu rada.

Naš najtiši sušač za ruke.

HEPA H13 filter blokira 99,95 % čestica, uključujući bakterije i viruse.

Curved Blade™ design,

mlaz vazduha od 624 km/h prati linije ruku, uklanjajući vodu brzo i higijenski.

Kućište od nerđajućeg čelika dizajnirano da traje

dyson airblade V



SLIM verzija - dubina uređaja od samo 100mm
Tihi rad Quiet Mark.

NSF i Carbon trast certifikat.

HEPA H13 filtriranje 99,95% čestica virusa i
bakterija iz vazduha.

Brzina sušenja ruku od 12 sek.

98% niži trošak sušenja ruku u odnosu na papirne
ubruse.

Nivo buke 63 dB.

Sistemi pranja i sušenja ruku iza
ogledala Duten/ Dyson Airblade
Shopping center Ada mall



Sistemi pranja i sušenja ruku iza
ogledala Duten/ Dyson Airblade
Beo shopping center



Sistemi pranja i sušenja ruku
Duten/ Dyson Airblade
Shopping center Galerija



Uridan bezvodni ekološki pisoari



- Bez upotrebe vode
- Smanjenje operativnih troškova poslovanja
- Olakšano čišćenje i održavanje
- Bez stvaranja urinarno-vodenog kamenca
- Bez razvoja bakterija
- Bez smrada u prostoru
- Nepotrebna tehnička i vodovodna instalacija
- Dizajnerska izvrsnost enterijera
- Ekološka osvešćenost kompanije



Duten inox galanterija,
senzorske slavine i
dozatori, ugradni sistemi

www.nenajo.com



Dyson Airblade sušači
za ruke

www.ecotech.rs



Dyson usisivači,
prečišćivači vazduha,
aparati za negu kose

www.ecotech-shop.rs



Oprema za hotelske
sobe

www.ecotech.rs



Uvoznik i distributer:
Ecotech Line doo
Omladinskih brigada 7g
11070 Beograd
+381 11 3119470
info@ecotech.rs
www.ecotech.rs